

Date	MW ID#	Parameter	Result	Limit
03/31/2017	MWC-3	pH	3.17	6.5-8.5
03/31/2017	MWC-3	Iron	8400	300
03/31/2017	MWC-5	pH	5.4	6.5-8.5
03/31/2017	MWC-5	Iron	710	300
03/31/2017	MWC-8	pH	3.95	6.5-8.5
03/31/2017	MWC-8	Iron	320	300
09/31/2017	MWC-2	pH	3.98	6.5-8.5
09/31/2017	MWC-2	Alpha Gross PA	36.2	15
09/31/2017	MWC-2	Radium 226 +228	23.3	5
09/31/2017	MWC-2	Iron	18	0.3
09/31/2017	MWC-2A	pH	4.72	6.5-8.5
09/31/2017	MWC-2A	Iron	1200	300
09/31/2017	MWC-3	pH	4.08	6.5-8.5
09/31/2017	MWC-3	Alpha Gross PA	40.8	15
09/31/2017	MWC-3	Radium 226 +228	24.4	5
09/31/2017	MWC-3	Iron	26	0.3
09/31/2017	MWC-3A	pH	4.57	6.5-8.5
09/31/2017	MWC-3A	color	21	15
09/31/2017	MWC-3A	Iron	25	0.3
09/31/2017	MWC-3B	pH	4.05	6.5-8.5
09/31/2017	MWC-3B	Alpha Gross PA	51.9	15
09/31/2017	MWC-3B	Radium 226 +228	26.4	5
09/31/2017	MWC-3B	Iron	15	0.3
09/31/2017	MWC-5	Color	18	15
09/31/2017	MWC-5	pH	5.95	6.5-8.5