

LOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs, FL 32715-0597 571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986 812 SW Harvey Green Dr, Madison, FL 32340 3980 Overseas Hwy, Suite 103, Marathon, FL 33050
 Phone: 407-339-5984
 E83018 (Main Lab)

 Phone: 772-343-8006
 E86562 (South Lab)

 Phone: 850-973-6878
 E82405 (North Lab)

 Phone: 305-743-8598
 E35834 (Keys Lab)

Lovell Engineering Associates 3998 Inner Perimeter Road Valdosta,GA 31602 PO #: n/a Client Project #: LCI Date Sampled: Dec 17, 2020 Dec 18, 2020; Invoice: 457067

Narrative Report

Sample Handling

Sample handling and holding time criteria were met for all samples. Samples collected by submitter. No unusual events occurred during analysis. Results are reported on a wet weight basis for aqueous matrices and on a dry weight basis for sludge and soil matrices unless otherwise noted.

Quality Control

Enclosed analyses met method or FCL criteria, unless otherwise denoted on the sample results. Applied data qualifiers are defined below.

Attachments

Chain of Custody

Qualifier U	Meaning Compound was analyzed for but not detected.
1	Estimated value; one or more QC components associated with this data value exceed current QC limits.
Q	Sample held beyond the accepted holding time.
L	Off-scale high; reported concentration exceeds the highest standard.
V	Analyte was detected in both the sample and the associated method blank.
W	The dissolved oxygen blank was above 0.2 mg/L but less than the MDL.
Z	Too numerous to count colonies on plate.
А	Absent
Р	Present
Т	Value reported is less than the statistical method detection limit. Reported for informational purposes only.
Μ	Value reported is greater than the statistical method detection limit, but less than the reported MDL.
G	The greatest of the dilutions performed did not yield sufficient oxygen depletion for valid data.
S	The least of the dilutions performed did not yield sufficient oxygen residual for valid data.
0	Result is greater than (over) the specified value.
I	Reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
В	Results based upon colony plate count outside ideal range.
Y	The laboratory analysis was from an improperly preserved sample. The data may not be accurate.