

- Cantor, K.P., Villanueva, C.M., Silverman, D.T., Figueroa, J.D., Real, F.X., Garcia-Closas, M., et al., 2010. Polymorphisms in GSTT1, GSTZ1, and CYP2E1, disinfection by-products, and risk of bladder cancer in Spain. *Environ. Health Perspect.* 118, 1545–1550.
- Carrasco-Turigas, G., Villanueva, C.M., Goñi, F., Rantakokko, P., Nieuwenhuijsen, M.J., 2013. The effect of different boiling and filtering devices on the concentration of disinfection by-products in tap water. *J. Environ. Public Health* 2013, 959480. <https://doi.org/10.1155/2013/959480>.
- Cohen, A., Ray, I., 2018. The global risks of increasing reliance on bottled water. *Nat. Sustain.* 1, 327–329. <https://doi.org/10.1038/s41893-018-0098-9>.
- Conway, J., 2020. Per capita consumption of bottled water in Europe in 2019, by country. Statista. Available: <https://www.statista.com/statistics/455422/bottled-water-consumption-in-europe-per-capita/>.
- Costet, N., Villanueva, C.M., Jaakkola, J.J., Kogevinas, M., Cantor, K.P., King, W.D., et al., 2011. Water disinfection by-products and bladder cancer: is there a European specificity? A pooled and meta-analysis of European case-control studies. *Occup. Environ. Med.* 68, 379–385.
- Crittenden, J., Trussell, R., Hand, D., Howe, K., Tchobanoglous, G., 2005. *Water Treatment: Principles and Design*. Second ed. Second. H. John Wiley & Sons, New Jersey.
- Curran, M., 2014. Strengths and limitations of life cycle assessment. In: Klöpffer, W. (Ed.), *Background and Future Prospects in Life Cycle Assessment. LCA Compendium – The Complete World of Life Cycle Assessment*. Springer, Dordrecht https://doi.org/10.1007/978-94-017-8697-3_6.
- Daschner, F.D., Rüden, H., Simon, R., Clotten, J., 1996. Microbiological contamination of drinking water in a commercial household water filter system. *Eur. J. Clin. Microbiol. Infect. Dis.* 15, 233–237. <https://doi.org/10.1007/BF01591360>.
- Doria, M. de F., Pidgeon, N., Hunter, P.R., 2009. Perceptions of drinking water quality and risk and its effect on behaviour: a cross-national study. *Sci. Total Environ.* 407, 5455–5464. <https://doi.org/10.1016/j.scitotenv.2009.06.031>.
- EC, 2020. Directive (EU) 2020/2184 of the European Parliament and of the Council of 16 December 2020 on the quality of water intended for human consumption (recast). Off. J. Eur. Union Available: <https://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX:32020L2184&from=EN>.
- EC. (n.d.). European Commission. Natural mineral waters and spring water. https://ec.europa.eu/food/safety/labelling_nutrition/mineral_waters_en. (Accessed May 31, 2021).
- Evlampidou, I., Font-Ribera, L., Rojas-Rueda, D., Gracia-Lavedan, E., Costet, N., Pearce, N., et al., 2020. Trihalomethanes in drinking water and bladder cancer burden in the European Union. *Environ. Health Perspect.* 128, 17001. <https://doi.org/10.1289/EHP4495>.
- Fantin, V., Scalbi, S., Ottaviano, G., Masoni, P., 2014. A method for improving reliability and relevance of LCA reviews: the case of life-cycle greenhouse gas emissions of tap and bottled water. *Sci. Total Environ.* 476–477, 228–241. <https://doi.org/10.1016/j.scitotenv.2013.12.115>.
- Finkbeiner, M., Ackermann, R., Bach, V., Berger, M., Brankatschk, G., Chang, Y.J., et al., 2014. Challenges in life cycle assessment: an overview of current gaps and research needs. In: Klöpffer, W. (Ed.), *Background and Future Prospects in Life Cycle Assessment*. Springer Netherlands, Dordrecht <https://doi.org/10.1007/978-94-017-8697-3>.
- Foley, J.M., Rozendal, R.A., Hertle, C.K., Lant, P.A., Rabaey, K., 2010. Life cycle assessment of high-rate anaerobic treatment, microbial fuel cells, and microbial electrolysis cells. *Environ. Sci. Technol.* 44, 3629–3637. <https://doi.org/10.1021/es100125h>.
- Font-Ribera, L., Kogevinas, M., Nieuwenhuijsen, M.J., Grimalt, J.O., Villanueva, C.M., 2010. Patterns of water use and exposure to trihalomethanes among children in Spain. *Environ. Res.* 110, 571–579.
- Font-Ribera, L., Colomer-Cotta, J., Gomez-Gutierrez, A., Villanueva, C.M., 2017. Trihalomethane concentrations in tap water as determinant of bottled water use in the city of Barcelona. *J. Environ. Sci.* 58, 77–82.
- Garfi, M., Cadena, E., Sanchez-Ramos, D., Ferrer, I., 2016. Life cycle assessment of drinking water: comparing conventional water treatment, reverse osmosis and mineral water in glass and plastic bottles. *J. Clean. Prod.* 137, 997–1003. <https://doi.org/10.1016/j.jclepro.2016.07.218>.
- Geyer, R., Jambeck, J.R., Law, K.L., 2017. Production, use, and fate of all plastics ever made. *Sci. Adv.* 3, e1700782. <https://doi.org/10.1126/sciadv.1700782>.
- Gleick, P.H., 2010. *Bottled and Sold: The Story Behind Our Obsession With Bottled Water*. Island Press, Washington DC.
- Golsteijn, L., 2016. Interpretation of metrics: DALYs and damage to human health. Available at: <https://pre-sustainability.com/articles/metrics-interpretation-daly-and-damage-to-human-health/>.
- Heras, H., 2018. Aguas Envasadas: Motor de crecimiento de la categoría de bebidas sin alcohol. *Alimarket* 237, 269–287.
- Huijbregts, M.A., Steinmann, Z.J.N.N., Elshout, P.M.F.M.F., Stam, G., Verones, F., Vieira, M.D.M.D., et al., 2016. ReCiPe 2016: A Harmonized Life Cycle Impact Assessment Method at Midpoint and Endpoint Level - Report 1: Characterization. *Natl Inst Public Heal Environ.*
- IHME, 2018. Institute for Health Metrics and Evaluation. Global Burden of Disease Study 2017 (GBD 2017) Results.
- ILCD, 2010. Handbook - General Guide for Life Cycle Assessment - Provisions and Action Steps. EUR 24378 EN. vol. 2010. Publications Office of the European Union, Luxembourg (Luxembourg) (JRC58190).
- INE, 2018. Continuous Register Statistics: Data by Census Sections at 1 January 2017.
- ISO, 2006. 14040: Environmental Management—Life Cycle Assessment—Principles and Framework (Geneva, Switzerland).
- Jo, W.K., Weisel, C.P., Lioy, P.J., 1990. Chloroform exposure and the health risk associated with multiple uses of chlorinated tap water. *Risk Anal.* 10, 581–585. <https://doi.org/10.1111/j.1539-6924.1990.tb00542.x>.
- Koelmans, A.A., Mohamed Nor, N.H., Hermesen, E., Kooi, M., Mintenig, S.M., De France, J., 2019. Microplastics in freshwaters and drinking water: critical review and assessment of data quality. *Water Res.* 155, 410–422. <https://doi.org/10.1016/j.watres.2019.02.054>.
- Lagioia, G., Calabró, G., Amicarelli, V., 2012. Empirical study of the environmental management of Italy's drinking water supply. *Resour. Conserv. Recycl.* 60, 119–130. <https://doi.org/10.1016/j.resconrec.2011.12.001>.
- Lorenzo-Toja, Y., Vázquez-Rowe, I., Amores, M.J., Termes-Rifé, M., Marín-Navarro, D., Moreira, M.T., et al., 2016. Benchmarking wastewater treatment plants under an eco-efficiency perspective. *Sci. Total Environ.* 566–567, 468–479. <https://doi.org/10.1016/j.scitotenv.2016.05.110>.
- March, H., Garcia, X., Domene, E., Sauri, D., 2020. Tap water, bottled water or in-home water treatment systems: insights on household perceptions and choices. *Water* 12, 1310. <https://doi.org/10.3390/W12051310>.
- van der Meer, Y., 2018. Life cycle assessment: benefits and limitations. Available at: <http://fibrenet.eu/index.php?id=blog-post-eleven>.
- Papong, S., Malakul, P., Trungkavashirakun, R., Wenunon, P., Chom-In, T., Nithitanakul, M., et al., 2014. Comparative assessment of the environmental profile of PLA and PET drinking water bottles from a life cycle perspective. *J. Clean. Prod.* 65, 539–550. <https://doi.org/10.1016/j.jclepro.2013.09.030>.
- Pinto, B., Reali, D., 2009. Screening of estrogen-like activity of mineral water stored in PET bottles. *Int. J. Hyg. Environ. Health* 212, 228–232.
- PRé Consultants, 2019. *SimaPro|The World's Leading LCA Software*. 2019.
- Raj, S.D., 2005. Bottled water: how safe is it? *Water Environ. Res.* 77, 3013–3018. <https://doi.org/10.2175/106143005X73893>.
- Real, M., Molina-Molina, J.M., Jiménez-Díaz, I., Arrebola, J.P., Sáenz, J.M., Fernández, M.F., et al., 2015. Screening of hormone-like activities in bottled waters available in Southern Spain using receptor-specific bioassays. *Environ. Int.* 74, 125–135. <https://doi.org/10.1016/j.envint.2014.10.006>.
- Ribera, G., Clarens, F., Martínez-Lladó, X., Jubany, I., Martí, V., Rovira, M., 2014. Life cycle and human health risk assessments as tools for decision making in the design and implementation of nanofiltration in drinking water treatment plants. *Sci. Total Environ.* 466–467, 377–386. <https://doi.org/10.1016/j.scitotenv.2013.06.085>.
- Rodwan, J.G., 2018. Bottled water 2017: staying strong. U.S. and international developments and statistics. *Bottled Water Reporter*.
- Saylor, A., Prokopy, L.S., Amberg, S., 2011. What's wrong with the tap? Examining perceptions of tap water and bottled water at Purdue University. *Environ. Manag.* 48, 588–601. <https://doi.org/10.1007/s00267-011-9692-6>.
- Schymanski, D., Goldbeck, C., Humpf, H.U., Fürst, P., 2018. Analysis of microplastics in water by micro-Raman spectroscopy: release of plastic particles from different packaging into mineral water. *Water Res.* 129, 154–162. <https://doi.org/10.1016/j.watres.2017.11.011>.
- SO, 2009. State of Oregon. *Life Cycle Assessment of Drinking Water Systems. Tap Water, and Home/Office Delivery Water, Bottle Water*.
- de Souza Machado, A.A., Kloas, W., Zarfl, C., Hempel, S., Rillig, M.C., 2017. Microplastics as an emerging threat to terrestrial ecosystems. *Glob. Chang. Biol.* <https://doi.org/10.1111/gcb.14020>.
- UNEP, 2014. *Plastic Debris in the Ocean. United Nations Environ Program Year B 2014 ERM Issues Updat.* pp. 48–53.
- Van Cauwenbergh, L., Janssen, C.R., 2014. Microplastics in bivalves cultured for human consumption. *Environ. Pollut.* 193, 65–70. <https://doi.org/10.1016/j.envpol.2014.06.010>.
- Villanueva, C.M., Cantor, K.P., Cordier, S., Jaakkola, J.J., King, W.D., Lynch, C.F., Kogevinas, M., 2004. Disinfection byproducts and bladder cancer. A pooled analysis. *Epidemiology* 15 (3), 357–367.
- Villanueva, C.M., Cordier, S., Font-Ribera, L., Salas, L.A., Levallois, P., 2015. Overview of disinfection by-products and associated health effects. *Curr. Environ. Health Rep.* 2, 107–115.
- Wagner, M., Oehlmann, J., 2009. Endocrine disruptors in bottled mineral water: total estrogenic burden and migration from plastic bottles. *Environ. Sci. Pollut. Res. Int.* 16, 278–286.
- Wagner, M., Schlusener, M.P., Ternes, T.A., Oehlmann, J., 2013. Identification of putative steroid receptor antagonists in bottled water: combining bioassays and high-resolution mass spectrometry. *PLoS One* 8, e72472.
- Weidema, B., Bauer, C., Hischer, R., Mutel, C., Nemecek, T., Reinhard, J., et al., 2013. Overview and methodology. Data quality guideline for the ecoinvent database version 3. *Ecoinvent Rep.* 1 (v3).
- WHO, 2014. Metrics: population attributable fraction (PAF). http://www.who.int/healthinfo/global_burden_disease/metrics_paf/en/.
- Williams, A.R., Bain, R.E.S., Fisher, M.B., Cronk, R., Kelly, E.R., Bartram, J., 2015. A systematic review and meta-analysis of fecal contamination and inadequate treatment of packaged water. *PLoS One* 10 (10), e0140899. <https://doi.org/10.1371/journal.pone.0140899>.
- Zhang, Y., Wang, Q., Lou, W., Wang, Y., Zhu, X., 2013. Microbiological safety of household membrane water filter. *J. Environ. Biol.* 342, 481–487.