

restrictions on land disposal under this Part once the effective date for the waste has been reached pending final approval of such application.

SECTION II. POST-CLOSURE CARE FOR HAZARDOUS WASTE MANAGEMENT UNIT (HWMUs) # 2 through #7

II.A. Unit Identification

The Permittee shall provide post-closure care for the six HWMUs identified as follows:

1. HWMU #2 [Drum Sampling & Inspection Pad (DSIP)];
2. HWMU #3 [Drum Storage & Process Area 1 (DSPA 1)];
3. HWMU #4 [Bulk Storage Tank Farm (BSTF)];
4. HWMU #5 [Waste Bulking & Unloading Area (WBUA)];
5. HWMU #6 [Drum Storage & Process Area 2 (DSPA 2)]; and
6. HWMU #7 [Solidification & Stabilization Area (SSA)].

The locations of the six HWMUs are provided on Figure B-2.0 of the Permit Application, as amended.

II.B. Waste Identification

A list of wastes handled at the facility between 2003-2013 is provided in Attachment E-5 of the Permit Application, as amended.

II.C. Post-Closure Care

1. The Permittee shall perform post-closure care for HWMUs #2 through #7 in accordance with the post-closure care plan in Section I-2 of the Permit Application, as amended, and as required by 40 CFR 264.117 through 264.120 and 40 CFR 264.310.
2. The post-closure care period shall continue until an adequate site-specific demonstration can be made that the contamination no longer poses a threat to human health and the environment, pursuant to 40 CFR 264.117(a)(2)(ii).
3. The Permittee shall construct, activate and maintain an Air Sparging/Soil Vapor Extraction (AS/SVE) system according to the schedule contained in the March 29, 2022 Post-Closure Care Plan (PCCP) in Section I-2 of the Permit Application, as amended, until a Corrective Action Plan is submitted pursuant to Permit Condition III.E.3.

II.D. Monitoring and Inspection

1. The Permittee shall follow the inspection schedule as discussed in Sections E (Attachment E-1, Sampling & Analysis Plan), F-2 and I-2a of the Permit Application, as amended, and as required by 40 CFR 264.15.
2. The Permittee shall inspect the cover systems at least semi-annually and within 24 hours after storms pursuant to the procedures described in Section I-2a of the Permit Application, as amended, to detect any evidence of deterioration as described in Sections F-2 and I-2a of the Permit Application, as amended, and as required by 40 CFR 264.15 and 264.310.