

## Log of Borehole: B-13

**GEO-TECH, INC.**

ENGINEERING CONSULTANTS

1016 SE 3rd Avenue  
Ocala, Florida  
352.694.7711

WWW.GEOTECHFL.COM

Project: PROPOSED SAND MINE, NE 110TH AVENUE, BRONSON, FL

Project No: 22-9204.01.1

Boring Location: (SEE SITE PLAN)

Engineer: NJH/CAH

Client: 3RT PACKING AND SERVICES, LLC

Enclosure: SITE PLAN

Depth (ft)	Symbol	Description	Consistency	Depth/Elev.	Number	Type	Blows/ft	Standard Penetration Test N-Values												
								0	20	40	60	80	100							
33				33.5																
34		<b>CLAYEY SAND</b> LIGHT BROWN CLAYEY SAND (SC)	MEDIUM DENSE		8		27										27			
35																				27
36																				
37																				
38																				
39					MEDIUM DENSE		9		27											27
40																				
41																				
42																				
43					DENSE		10		43											43
44																				
45																				
46																				
47																				
48																				
49			VERY DENSE		11		56											56		
50																				
51																				
52																				
53																				
54			VERY DENSE		12		59											59		
55																				
56																				
57																				
58																				
59			MEDIUM DENSE		13		28											28		
60				60.0																
61		End of Borehole																		
62																				
63																				
64																				

Ground Water Depth: NOT FOUND

Drill Date: JULY 25, 2022

Drilled By: WH/CC/EC

Drill Method: ASTM D-1586

Remarks: (SP) UNIFIED SOIL CLASSIFICATION SYMBOL AS DETERMINED BY VISUAL REVIEW

Soil Profile : 13 OF 23