

2. Applying For Which Type Of Permit: (Please Check Appropriate Box)

Expedited Review Fees for Air Permits	
<u>Permit Type – Please Check One</u>	<u>Expedited Review Fee* as of March 1, 2021</u>
<input type="checkbox"/> Generic Permit: Concrete Batch Plant – Minor Source	\$1,250
<input type="checkbox"/> Generic Permit: Concrete Batch Plant – Synthetic Minor Source	\$1,875
<input type="checkbox"/> Generic Permit: Hot Mix Asphalt Plant – Synthetic Minor Source	\$2,500
<input type="checkbox"/> Minor Source Permit (or Amendment)	\$3,750
<input type="checkbox"/> Synthetic Minor Permit (or Amendment)	\$5,000
<input checked="" type="checkbox"/> Major Source SIP Permit not subject to PSD or 112(g)	\$7,500
<input type="checkbox"/> Title V 502(b)(10) Permit Amendment	\$5,000
<input type="checkbox"/> Title V Minor Modification with Construction	\$5,000
<input type="checkbox"/> Title V Significant Modification	\$7,500
<input type="checkbox"/> Major Source SIP Permit subject to 112(g) but not subject to PSD	\$18,750
<input type="checkbox"/> PSD Permit (or Amendment) not subject to NAAQS and/or PSD Increment Modeling	\$18,750
<input type="checkbox"/> PSD Permit (or Amendment) subject to NAAQS and/or PSD Increment Modeling but not subject to Modeling for PM _{2.5} , NO ₂ , or SO ₂	\$25,000
<input type="checkbox"/> PSD Permit (or Amendment) subject to NAAQS and/or PSD Increment Modeling for PM _{2.5} , NO ₂ , or SO ₂	\$31,250
<input type="checkbox"/> PSD Permit (or Amendment) subject to NAAQS and/or PSD Increment Modeling for PM _{2.5} , NO ₂ , or SO ₂ and also impacting a Class I Area	\$37,500
<input type="checkbox"/> Nonattainment NSR Review Permit (or Amendment)	\$50,000
* Do not send fee payment with this form. Upon acceptance of application for the expedited permit program, EPD will notify you and an invoice will appear on GECS. Fees must be paid via check to “Georgia Department of Natural Resources” within ten (10) business days of acceptance.	

3. Comments.

Commencement of construction is targeted for November 2023. The desired start-up for this facility is February 2025.

This section is optional. Applicants may use this field to include specific comments or requests for EPD consideration. For example, the applicant may use this field to request a public hearing or to remind EPD of review time needs and/or expectations that may differ from the time frames in the procedures.