

General Comment

Section H General Comment

ActivityEmission

\* [Group 1]

EGID: SEP EU01  
 EGType: Single Emissions Path (SEP)  
 NoSpecificMonitoring: No  
 NoSpecificTesting: Yes  
 EmissionDataFilled: Yes  
 Description: System generated SEP Emission Path.  
 -- Detail --:

Emission Path Group Type: Single Emissions Path (SEP)  
 Emission Path Group Identifier: SEP EU01  
 Check here if no specific monitoring needed: false  
 Check here if no specific testing needed: true  
 Description: System generated SEP Emission Path.  
 EUID: EU01  
 EUType: Miscellaneous  
 InstallationDate: 1998

Detail

PollutantName: Particulate Matter (TSP)  
 PollutantID: 604  
 PollutantCd: PM  
 SubDescription: Particulate Matter (TSP)  
 SubstanceChemName: CAP1  
 EmissionLimit: 4.38  
 PotentialEmissions: 4.38  
 CalculationMethod: Permit Limit  
 Voluntarylimit: N  
 ComplianceStatus: Yes  
 PollutantName: PM10 (Filt + Cond)  
 PollutantID: 606  
 PollutantCd: PM-PRI  
 SubDescription: PM Primary (Filt + Cond)  
 SubstanceChemName: CAP1  
 EmissionLimit: 4.38  
 PotentialEmissions: 4.38  
 CalculationMethod: Permit Limit  
 Voluntarylimit: N  
 ComplianceStatus: Yes  
 PollutantName: PM2.5 (Filt + Cond)  
 PollutantID: 612

PollutantCd: PM25-PRI  
SubDescription: PM2.5 Primary (Filt + Cond)  
SubstanceChemName: CAP1  
EmissionLimit: 4.38  
PotentialEmissions: 4.38  
CalculationMethod: Permit Limit  
Voluntarylimit: N  
ComplianceStatus: Yes  
Emission Unit Type: 10  
Emission Source Identifier: EU01  
Emission Source Name: Chip Shaker Screen Area  
Description: Chip Shaker Screen Area System  
Date of Manufacture/Reconstruction/Modification: 1998  
Installation Date: 1998  
InputOutput: Input  
Material: Chip Fines  
MaterialType: Chip Fines  
MaxHourlyRate: 4000  
MaxHourlyRateUnit: lbs/hr  
MaxAnnualInput: 17520  
MaxAnnualInputUnit: tons/yr  
MoistureContent: 0  
ControlDeviceID: C001  
DeviceType: Filter Media  
Manufacture: Aircon  
InstallationDate: 1998  
ReasonForOperation: To comply with state or federal rule  
ReleasePointID: S001  
ReleasePointType: Vertical  
Latitude: 31.31509  
Longitude: -83.0381  
Height: 59  
RuleID: 15  
RefType: SIP  
RefCode: .02(2)(e)  
Description: Particulate Emission from Manufacturing Processes  
RuleID: 6  
RefType: SIP  
RefCode: .02(2)(b)  
Description: Visible Emissions

\* [Group 2]

EGID:	SEP EU03
EGType:	Single Emissions Path (SEP)
NoSpecificMonitoring:	No
NoSpecificTesting:	Yes

EmissionDataFilled:

Yes

Description:

System generated SEP Emission Path.

-- Detail --:

Emission Path Group Type: Single Emissions Path (SEP)

Emission Path Group Identifier: SEP EU03

Check here if no specific monitoring needed: false

Check here if no specific testing needed: true

Description: System generated SEP Emission Path.

EUID: EU03

EUType: Miscellaneous

InstallationDate: 1998

#### Detail

PollutantName: Particulate Matter (TSP)

PollutantID: 604

PollutantCd: PM

SubDescription: Particulate Matter (TSP)

SubstanceChemName: CAP1

EmissionLimit: 15.3

PotentialEmissions: 15.3

CalculationMethod: Permit Limit

Voluntarylimit: N

ComplianceStatus: Yes

PollutantName: PM10 (Filt + Cond)

PollutantID: 606

PollutantCd: PM-PRI

SubDescription: PM Primary (Filt + Cond)

SubstanceChemName: CAP1

EmissionLimit: 15.3

PotentialEmissions: 15.3

CalculationMethod: Permit Limit

Voluntarylimit: N

ComplianceStatus: Yes

PollutantName: PM2.5 (Filt + Cond)

PollutantID: 612

PollutantCd: PM25-PRI

SubDescription: PM2.5 Primary (Filt + Cond)

SubstanceChemName: CAP1

EmissionLimit: 15.3

PotentialEmissions: 15.3

CalculationMethod: Permit Limit

Voluntarylimit: N

ComplianceStatus: Yes

Emission Unit Type: 10

Emission Source Identifier: EU03

Emission Source Name: Shavings and Sawdust Relay System

Description: Shavings and sawdust high-pressure transport system.

Date of Manufacture/Reconstruction/Modification: 1998

Installation Date: 1998

InputOutput: Input

Material: Shavings and Sawdust

MaterialType: Shavings and Sawdust

MaxHourlyRate: 65000

MaxHourlyRateUnit: lbs/hr

MaxAnnualInput: 284700

MaxAnnualInputUnit: tons/yr

MoistureContent: 0

ControlDeviceID: C003

DeviceType: Filter Media

Manufacture: Aircon

InstallationDate: 1998

ReasonForOperation: To comply with state or federal rule

ReleasePointID: S003

ReleasePointType: Vertical

Latitude: 31.31576

Longitude: -83.0385

Height: 145

RuleID: 15

RefType: SIP

RefCode: .02(2)(e)

Description: Particulate Emission from Manufacturing Processes

RuleID: 6

RefType: SIP

RefCode: .02(2)(b)

Description: Visible Emissions

\* [Group 3]

EGID:

Flash Tube Dryers Nos. 1-3

EGType:

Common Regulations (CReg) Group

NoSpecificMonitoring:

No

NoSpecificTesting:

No

EmissionDataFilled:

Yes

Description:

-- Detail --:

Emission Path Group Type: Common Regulations (CReg) Group

Emission Path Group Identifier: Flash Tube Dryers Nos. 1-3

Check here if no specific monitoring needed: false

Check here if no specific testing needed: false

EUID: EU07

EUType: Dryers, Calciners, Kilns & Ovens

InstallationDate: 1988

Detail

EUID: EU06  
EUType: Dryers, Calciners, Kilns & Ovens  
InstallationDate: 1988

Detail

EUID: EU05  
EUType: Dryers, Calciners, Kilns & Ovens  
InstallationDate: 1998

Detail

PollutantName: Volatile Organic Compounds  
PollutantID: 617  
PollutantCd: VOC  
SubDescription: Volatile Organic Compounds  
SubstanceChemName: CAP1  
EmissionLimit: 238.3  
PotentialEmissions: 238.3  
CalculationMethod: Permit Limit  
Voluntarylimit: N

ComplianceStatus: Yes  
PollutantName: Carbon Monoxide  
PollutantID: 592  
PollutantCd: CO  
SubDescription: Carbon Monoxide  
SubstanceChemName: CAP1  
EmissionLimit: 219  
PotentialEmissions: 219  
CalculationMethod: Permit Limit  
Voluntarylimit: N

ComplianceStatus: Yes  
PollutantName: Particulate Matter (TSP)  
PollutantID: 604  
PollutantCd: PM  
SubDescription: Particulate Matter (TSP)  
SubstanceChemName: CAP1  
EmissionLimit: 110  
PotentialEmissions: 110  
CalculationMethod: Permit Limit  
Voluntarylimit: N

ComplianceStatus: Yes  
PollutantName: PM10 (Filt + Cond)  
PollutantID: 606  
PollutantCd: PM-PRI  
SubDescription: PM Primary (Filt + Cond)  
SubstanceChemName: CAP1  
EmissionLimit: 110  
PotentialEmissions: 110

CalculationMethod: Permit Limit  
Voluntarylimit: N  
ComplianceStatus: Yes  
PollutantName: PM2.5 (Filt + Cond)  
PollutantID: 612  
PollutantCd: PM25-PRI  
SubDescription: PM2.5 Primary (Filt + Cond)  
SubstanceChemName: CAP1  
EmissionLimit: 110  
PotentialEmissions: 110

CalculationMethod: Permit Limit  
Voluntarylimit: N  
ComplianceStatus: Yes  
PollutantName: Nitrogen Oxides  
PollutantID: 599  
PollutantCd: NOX  
SubDescription: Nitrogen Oxides  
SubstanceChemName: CAP1  
EmissionLimit: 219  
PotentialEmissions: 219

CalculationMethod: Permit Limit  
Voluntarylimit: N  
ComplianceStatus: Yes

Description: Exhaust from the Fluidized Bed Energy System is first controlled by a SNCR (C024) and ESP (C025), then is sent through EU05-EU07, which are controlled by a WESP (C005) and Bioscrubber (C006). All NOX, SO2, and greenhouse gases are assumed to pass through the dryers uncontrolled.

PollutantName: Sulfur Dioxide  
PollutantID: 614  
PollutantCd: SO2  
SubDescription: Sulfur Dioxide  
SubstanceChemName: CAP1  
EmissionLimit: 47.8  
PotentialEmissions: 47.8  
CalculationMethod: AP-42  
Voluntarylimit: N  
ComplianceStatus: Yes

PollutantName: Hydrochloric Acid  
PollutantID: 487  
PollutantCd: 7647010  
SubDescription: Hydrochloric Acid  
SubstanceChemName: HAP  
EmissionLimit: 3.57  
PotentialEmissions: 3.57  
CalculationMethod: AP-42  
Voluntarylimit: N

ComplianceStatus: Yes

Emission Unit Type: 4

Emission Source Identifier: EU07

Emission Source Name: Flash-Tube Dryer #3

Description: Employs the combustion gases from the fluidized energy bed system to dry the resinated fibers.

Manufacturer: Custom

Model Number: N/A

Date of Manufacture/Reconstruction/Modification: 1988

Installation Date: 1988

Identify type of emission unit: Dryer

Identify the specific type of dryer, calciner, kiln or oven that this unit is: Flash

Comments: The maximum hourly input rate for the three dryers combined is 39 tons per hour of fiber on a dry basis; thus, one-third of that total throughput is represented for each dryer.

MaterialTypeName: Wood Fibers

MaximumHourlyRate: 13 tons/hr

FuelType: Other - Solid

MaxAnnualFuelConsumption: 00

MaxHeatingValue: 00

MaxHeatingValueUnits: 00

MaxAllowableSulfurPercent: 00

Comment: Flash Tube Dryers are fueled by the combustion of wood in the Fluidized Bed Energy System.

Unit: Tons

ControlDeviceID: C006

DeviceType: Biofilter/Bioscrubber

Manufacture: Scheuch, Inc.

Model: SABA 13.2

DateManufactured: 2008

InstallationDate: 2008

ReasonForOperation: To comply with state or federal rule

ControlDeviceID: C005

DeviceType: Electrostatic Precipitator

Manufacture: Geoenergy

InstallationDate: 1998

ReasonForOperation: To comply with state or federal rule

ReleasePointID: S006

ReleasePointType: Vertical

Latitude: 31.32676

Longitude: -83.0472

Height: 156

RuleID: 143

RefType: MACT(Part 63)

RefCode: DDDD

Description: National Emission Standards for Hazardous Air Pollutants: Plywood and Composite Wood Products

RuleID: 94  
RefType: MACT(Part 63)  
RefCode: A  
Description: General Provisions

RuleID: 15  
RefType: SIP  
RefCode: .02(2)(e)  
Description: Particulate Emission from Manufacturing Processes

RuleID: 6  
RefType: SIP  
RefCode: .02(2)(b)  
Description: Visible Emissions  
Emission Unit Type: 4  
Emission Source Identifier: EU06  
Emission Source Name: Flash-Tube Dyer #2  
Description: Employs the combustion of gases from the fluidized energy bed system to dry the resinated fibers.  
Manufacturer: Custom  
Model Number: N/A  
Date of Manufacture/Reconstruction/Modification: 1988  
Installation Date: 1988  
Identify type of emission unit: Dryer  
Identify the specific type of dryer, calciner, kiln or oven that this unit is: Flash  
Comments: The maximum hourly input rate for the three dryers combined is 39 tons per hour of fiber on a dry basis; thus, one-third of that total throughput is represented for each dryer.  
MaterialTypeName: Wood Fibers  
MaximumHourlyRate: 13 tons/hr  
FuelType: Other - Solid  
MaxAnnualFuelConsumption: 00  
MaxHeatingValue: 00  
MaxHeatingValueUnits: 00  
MaxAllowableSulfurPercent: 00  
Comment: Flash Tube Dryers are fueled by the combustion of wood in the Fluidized Bed Energy System.  
Unit: Tons  
ControlDeviceID: C006  
DeviceType: Biofilter/Bioscrubber  
Manufacture: Scheuch, Inc.  
Model: SABA 13.2  
DateManufactured: 2008  
InstallationDate: 2008  
ReasonForOperation: To comply with state or federal rule  
ControlDeviceID: C005  
DeviceType: Electrostatic Precipitator  
Manufacture: Geoenergy



InstallationDate: 1998  
ReasonForOperation: To comply with state or federal rule  
ReleasePointID: S006  
ReleasePointType: Vertical  
Latitude: 31.32676  
Longitude: -83.0472  
Height: 156  
RuleID: 143  
RefType: MACT(Part 63)  
RefCode: DDDD  
Description: National Emission Standards for Hazardous Air  
Pollutants: Plywood and Composite Wood Products  
RuleID: 94  
RefType: MACT(Part 63)  
RefCode: A  
Description: General Provisions  
RuleID: 15  
RefType: SIP  
RefCode: .02(2)(e)  
Description: Particulate Emission from Manufacturing  
Processes  
RuleID: 6  
RefType: SIP  
RefCode: .02(2)(b)  
Description: Visible Emissions  
Emission Unit Type: 4  
Emission Source Identifier: EU05  
Emission Source Name: Flash-Tube Dryer #1  
Description: Employs the combustion gases from the fluidized  
energy bed system to dry the resinated fibers.  
Manufacturer: Custom  
Model Number: N/A  
Date of Manufacture/Reconstruction/Modification: 1998  
Installation Date: 1998  
Identify type of emission unit: Dryer  
Identify the specific type of dryer, calciner, kiln or oven that this  
unit is: Flash  
Comments: The maximum hourly input rate for the three dryers  
combined is 39 tons per hour of fiber on a dry basis; thus, one-third  
of the total throughput is represented for each dryer.  
MaterialTypeName: Wood Fibers  
MaximumHourlyRate: 13 tons/hr  
FuelType: Other - Solid  
MaxAnnualFuelConsumption: 00  
MaxHeatingValue: 00  
MaxHeatingValueUnits: 00  
MaxAllowableSulfurPercent: 00

Comment: Flash Tube Dryers are fueled by the combustion of wood in the Fluidized Bed Energy System.

Unit: Tons

ControlDeviceID: C006

DeviceType: Biofilter/Bioscrubber

Manufacture: Scheuch, Inc.

Model: SABA 13.2

DateManufactured: 2008

InstallationDate: 2008

ReasonForOperation: To comply with state or federal rule

ControlDeviceID: C005

DeviceType: Electrostatic Precipitator

Manufacture: Geoenergy

InstallationDate: 1998

ReasonForOperation: To comply with state or federal rule

ReleasePointID: S006

ReleasePointType: Vertical

Latitude: 31.32676

Longitude: -83.0472

Height: 156

RuleID: 143

RefType: MACT(Part 63)

RefCode: DDDD

Description: National Emission Standards for Hazardous Air Pollutants: Plywood and Composite Wood Products

RuleID: 94

RefType: MACT(Part 63)

RefCode: A

Description: General Provisions

RuleID: 15

RefType: SIP

RefCode: .02(2)(e)

Description: Particulate Emission from Manufacturing Processes

RuleID: 6

RefType: SIP

RefCode: .02(2)(b)

Description: Visible Emissions

\* [Group 4]

EGID:

Forming Line

EGType:

Common Regulations (CReg) Group

NoSpecificMonitoring:

No

NoSpecificTesting:

Yes

EmissionDataFilled:

Yes

Description:

-- Detail --:

Emission Path Group Type: Common Regulations (CReg) Group

Emission Path Group Identifier: Forming Line  
Check here if no specific monitoring needed: false  
Check here if no specific testing needed: true  
EUID: EU10  
EUType: Miscellaneous  
InstallationDate: 1998

Detail

EUID: EU09  
EUType: Miscellaneous  
InstallationDate: 1998

Detail

EUID: EU08  
EUType: Miscellaneous  
InstallationDate: 1998

Detail

PollutantName: Particulate Matter (TSP)  
PollutantID: 604  
PollutantCd: PM  
SubDescription: Particulate Matter (TSP)  
SubstanceChemName: CAP1  
EmissionLimit: 19.71  
PotentialEmissions: 19.71  
CalculationMethod: Permit Limit  
Voluntarylimit: N  
ComplianceStatus: Yes  
PollutantName: PM10 (Filt + Cond)  
PollutantID: 606  
PollutantCd: PM-PRI  
SubDescription: PM Primary (Filt + Cond)  
SubstanceChemName: CAP1  
EmissionLimit: 19.71  
PotentialEmissions: 19.71  
CalculationMethod: Permit Limit  
Voluntarylimit: N  
ComplianceStatus: Yes  
PollutantName: PM2.5 (Filt + Cond)  
PollutantID: 612  
PollutantCd: PM25-PRI  
SubDescription: PM2.5 Primary (Filt + Cond)  
SubstanceChemName: CAP1  
EmissionLimit: 19.71  
PotentialEmissions: 19.71  
CalculationMethod: Permit Limit  
Voluntarylimit: N  
ComplianceStatus: Yes  
Emission Unit Type: 10

Emission Source Identifier: EU10  
Emission Source Name: Core Dryer Relay System  
Description: Flash-Tube Dryer #3 wood fiber transport system.  
Date of Manufacture/Reconstruction/Modification: 1998  
Installation Date: 1998  
InputOutput: Input  
Material: Resinated Wood Fibers  
MaterialType: Resinated Wood Fibers  
MaxHourlyRate: 26000  
MaxHourlyRateUnit: lbs/hr  
MaxAnnualInput: 113880  
MaxAnnualInputUnit: tons/yr  
MoistureContent: 0  
ControlDeviceID: C010  
DeviceType: Filter Media  
Manufacture: Aircon  
InstallationDate: 1998  
ReasonForOperation: Product recovery  
ReleasePointID: S010  
ReleasePointType: Vertical  
Latitude: 31.31482  
Longitude: -83.0385  
Height: 122  
RuleID: 15  
RefType: SIP  
RefCode: .02(2)(e)  
Description: Particulate Emission from Manufacturing Processes  
RuleID: 6  
RefType: SIP  
RefCode: .02(2)(b)  
Description: Visible Emissions  
Emission Unit Type: 10  
Emission Source Identifier: EU09  
Emission Source Name: Swing Dryer Relay System  
Description: Flash-Tube Dryer #2 wood fiber transport system  
Date of Manufacture/Reconstruction/Modification: 1998  
Installation Date: 1998  
InputOutput: Input  
Material: Resinated Wood Fibers  
MaterialType: Resinated Wood Fibers  
MaxHourlyRate: 26000  
MaxHourlyRateUnit: lbs/hr  
MaxAnnualInput: 113880  
MaxAnnualInputUnit: tons/yr  
MoistureContent: 0

ControlDeviceID: C009  
DeviceType: Filter Media  
Manufacture: Aircon  
InstallationDate: 1998  
ReasonForOperation: Product recovery  
ReleasePointID: S009  
ReleasePointType: Vertical  
Latitude: 31.31481  
Longitude: -83.0386  
Height: 122  
RuleID: 15  
RefType: SIP  
RefCode: .02(2)(e)  
Description: Particulate Emission from Manufacturing Processes  
RuleID: 6  
RefType: SIP  
RefCode: .02(2)(b)  
Description: Visible Emissions  
Emission Unit Type: 10  
Emission Source Identifier: EU08  
Emission Source Name: Face Dyer Relay System  
Description: Flash-Tube Dryer #1 wood fiber transport system  
Date of Manufacture/Reconstruction/Modification: 1998  
Installation Date: 1998  
InputOutput: Input  
Material: Resinated Wood Fibers  
MaterialType: Resinated Wood Fibers  
MaxHourlyRate: 26000  
MaxHourlyRateUnit: lbs/hr  
MaxAnnualInput: 113880  
MaxAnnualInputUnit: tons/yr  
MoistureContent: 0  
ControlDeviceID: C008  
DeviceType: Filter Media  
Manufacture: Aircon  
InstallationDate: 1998  
ReasonForOperation: Product recovery  
ReleasePointID: S008  
ReleasePointType: Vertical  
Latitude: 31.3148  
Longitude: -83.0386  
Height: 122  
RuleID: 15  
RefType: SIP  
RefCode: .02(2)(e)

Description: Particulate Emission from Manufacturing Processes

RuleID: 6

RefType: SIP

RefCode: .02(2)(b)

Description: Visible Emissions

\* [Group 5]

EGID:

SEP EU11

EGType:

Single Emissions Path (SEP)

NoSpecificMonitoring:

No

NoSpecificTesting:

Yes

EmissionDataFilled:

Yes

Description:

System generated SEP Emission Path.

-- Detail --:

Emission Path Group Type: Single Emissions Path (SEP)

Emission Path Group Identifier: SEP EU11

Check here if no specific monitoring needed: false

Check here if no specific testing needed: true

Description: System generated SEP Emission Path.

EUID: EU11

EUType: Miscellaneous

InstallationDate: 1998

Detail

PollutantName: Particulate Matter (TSP)

PollutantID: 604

PollutantCd: PM

SubDescription: Particulate Matter (TSP)

SubstanceChemName: CAP1

EmissionLimit: 10.1

PotentialEmissions: 10.1

CalculationMethod: Permit Limit

Voluntarylimit: N

ComplianceStatus: Yes

PollutantName: PM10 (Filt + Cond)

PollutantID: 606

PollutantCd: PM-PRI

SubDescription: PM Primary (Filt + Cond)

SubstanceChemName: CAP1

EmissionLimit: 10.1

PotentialEmissions: 10.1

CalculationMethod: Permit Limit

Voluntarylimit: N

ComplianceStatus: Yes

PollutantName: PM2.5 (Filt + Cond)

PollutantID: 612

PollutantCd: PM25-PRI

SubDescription: PM2.5 Primary (Filt + Cond)  
 SubstanceChemName: CAP1  
 EmissionLimit: 10.1  
 PotentialEmissions: 10.1  
 CalculationMethod: Permit Limit  
 Voluntarylimit: N  
 ComplianceStatus: Yes  
 Emission Unit Type: 10  
 Emission Source Identifier: EU11  
 Emission Source Name: Face/Core Shave-off Relay System  
 Description: Face/Core shavings high-pressure transport system  
 Date of Manufacture/Reconstruction/Modification: 1998  
 Installation Date: 1998  
 InputOutput: Input  
 Material: Resinated Wood Fibers  
 MaterialType: Resinated Wood Fibers  
 MaxHourlyRate: 35000  
 MaxHourlyRateUnit: lbs/hr  
 MaxAnnualInput: 153300  
 MaxAnnualInputUnit: tons/yr  
 MoistureContent: 0  
 ControlDeviceID: C011  
 DeviceType: Filter Media  
 Manufacture: Aircon  
 InstallationDate: 1998  
 ReasonForOperation: Product recovery  
 ReleasePointID: S011  
 ReleasePointType: Vertical  
 Latitude: 31.31508  
 Longitude: -83.0384  
 Height: 62  
 RuleID: 15  
 RefType: SIP  
 RefCode: .02(2)(e)  
 Description: Particulate Emission from Manufacturing Processes  
 RuleID: 6  
 RefType: SIP  
 RefCode: .02(2)(b)  
 Description: Visible Emissions

\* [Group 6]

EGID:	SEP EU12
EGType:	Single Emissions Path (SEP)
NoSpecificMonitoring:	No
NoSpecificTesting:	Yes

EmissionDataFilled:

Yes

Description:

System generated SEP Emission Path.

-- Detail --:

Emission Path Group Type: Single Emissions Path (SEP)

Emission Path Group Identifier: SEP EU12

Check here if no specific monitoring needed: false

Check here if no specific testing needed: true

Description: System generated SEP Emission Path.

EUID: EU12

EUType: Miscellaneous

InstallationDate: 1998

#### Detail

PollutantName: Particulate Matter (TSP)

PollutantID: 604

PollutantCd: PM

SubDescription: Particulate Matter (TSP)

SubstanceChemName: CAP1

EmissionLimit: 13.1

PotentialEmissions: 13.1

CalculationMethod: Permit Limit

Voluntarylimit: N

ComplianceStatus: Yes

PollutantName: PM10 (Filt + Cond)

PollutantID: 606

PollutantCd: PM-PRI

SubDescription: PM Primary (Filt + Cond)

SubstanceChemName: CAP1

EmissionLimit: 13.1

PotentialEmissions: 13.1

CalculationMethod: Permit Limit

Voluntarylimit: N

ComplianceStatus: Yes

PollutantName: PM2.5 (Filt + Cond)

PollutantID: 612

PollutantCd: PM25-PRI

SubDescription: PM2.5 Primary (Filt + Cond)

SubstanceChemName: CAP1

EmissionLimit: 13.1

PotentialEmissions: 13.1

CalculationMethod: Permit Limit

Voluntarylimit: N

ComplianceStatus: Yes

Emission Unit Type: 10

Emission Source Identifier: EU12

Emission Source Name: Former Vacuum System



Description: Supplies a vacuum to the forming machine that forms the mats prior to pressing.

Date of Manufacture/Reconstruction/Modification: 1998

Installation Date: 1998

InputOutput: Input

Material: Resinated Wood Fibers

MaterialType: Resinated Wood Fibers

MaxHourlyRate: 500

MaxHourlyRateUnit: lbs/hr

MaxAnnualInput: 2190

MaxAnnualInputUnit: tons/yr

MoistureContent: 0

ControlDeviceID: C012

DeviceType: Filter Media

Manufacture: Aircon

InstallationDate: 1998

ReasonForOperation: Product recovery

ReleasePointID: S012

ReleasePointType: Vertical

Latitude: 31.31515

Longitude: -83.0384

Height: 70

RuleID: 15

RefType: SIP

RefCode: .02(2)(e)

Description: Particulate Emission from Manufacturing Processes

RuleID: 6

RefType: SIP

RefCode: .02(2)(b)

Description: Visible Emissions

\* [Group 7]

EGID:

SEP EU13

EGType:

Single Emissions Path (SEP)

NoSpecificMonitoring:

No

NoSpecificTesting:

Yes

EmissionDataFilled:

Yes

Description:

System generated SEP Emission Path.

-- Detail --:

Emission Path Group Type: Single Emissions Path (SEP)

Emission Path Group Identifier: SEP EU13

Check here if no specific monitoring needed: false

Check here if no specific testing needed: true

Description: System generated SEP Emission Path.

EUID: EU13

EUType: Miscellaneous

InstallationDate: 1998

Detail

PollutantName: Particulate Matter (TSP)

PollutantID: 604

PollutantCd: PM

SubDescription: Particulate Matter (TSP)

SubstanceChemName: CAP1

EmissionLimit: 0.55

PotentialEmissions: 0.55

CalculationMethod: Permit Limit

Voluntarylimit: N

ComplianceStatus: Yes

PollutantName: PM10 (Filt + Cond)

PollutantID: 606

PollutantCd: PM-PRI

SubDescription: PM Primary (Filt + Cond)

SubstanceChemName: CAP1

EmissionLimit: 0.55

PotentialEmissions: 0.55

CalculationMethod: Permit Limit

Voluntarylimit: N

ComplianceStatus: Yes

PollutantName: PM2.5 (Filt + Cond)

PollutantID: 612

PollutantCd: PM25-PRI

SubDescription: PM2.5 Primary (Filt + Cond)

SubstanceChemName: CAP1

EmissionLimit: 0.55

PotentialEmissions: 0.55

CalculationMethod: Permit Limit

Voluntarylimit: N

ComplianceStatus: Yes

Longitude: -83.0386

Height: 122

RuleID: 15

RefType: SIP

RefCode: .02(2)(e)

Description: Particulate Emission from Manufacturing Processes

RuleID: 6

RefType: SIP

RefCode: .02(2)(b)

Description: Visible Emissions

Emission Unit Type: 10

Emission Source Identifier: EU13

Emission Source Name: Reject Relay System

Description: Broken or misshapen mats high-pressure relay system.  
Date of Manufacture/Reconstruction/Modification: 1998  
Installation Date: 1998  
Comments: Reject relay system operations are limited to seven hours per week.  
InputOutput: Input  
Material: Resinated Wood Fibers  
MaterialType: Resinated Wood Fibers  
MaxHourlyRate: 50000  
MaxHourlyRateUnit: lbs/hr  
MaxAnnualInput: 9100  
MaxAnnualInputUnit: tons/yr  
MoistureContent: 0  
ControlDeviceID: C013  
DeviceType: Filter Media  
Manufacture: Western Pnuematics  
InstallationDate: 1998  
ReasonForOperation: Product recovery  
ReleasePointID: S013  
ReleasePointType: Vertical  
Latitude: 31.31488

\* [Group 8]

EGID: SEP EU14  
EGType: Single Emissions Path (SEP)  
NoSpecificMonitoring: No  
NoSpecificTesting: Yes  
EmissionDataFilled: Yes  
Description: System generated SEP Emission Path.

-- Detail --:

Emission Path Group Type: Single Emissions Path (SEP)  
Emission Path Group Identifier: SEP EU14  
Check here if no specific monitoring needed: false  
Check here if no specific testing needed: true  
Description: System generated SEP Emission Path.  
EUID: EU14  
EUType: Miscellaneous  
InstallationDate: 1998

Detail

PollutantName: Particulate Matter (TSP)  
PollutantID: 604  
PollutantCd: PM  
SubDescription: Particulate Matter (TSP)  
SubstanceChemName: CAP1  
EmissionLimit: 5.96  
PotentialEmissions: 5.96

CalculationMethod: Permit Limit  
Voluntarylimit: N  
ComplianceStatus: Yes  
PollutantName: PM10 (Filt + Cond)  
PollutantID: 606  
PollutantCd: PM-PRI  
SubDescription: PM Primary (Filt + Cond)  
SubstanceChemName: CAP1  
EmissionLimit: 5.96  
PotentialEmissions: 5.96  
CalculationMethod: Permit Limit  
Voluntarylimit: N  
ComplianceStatus: Yes  
PollutantName: PM2.5 (Filt + Cond)  
PollutantID: 612  
PollutantCd: PM25-PRI  
SubDescription: PM2.5 Primary (Filt + Cond)  
SubstanceChemName: CAP1  
EmissionLimit: 5.96  
PotentialEmissions: 5.96  
CalculationMethod: Permit Limit  
Voluntarylimit: N  
ComplianceStatus: Yes  
Emission Unit Type: 10  
Emission Source Identifier: EU14  
Emission Source Name: Vacuum Relay System  
Description: Relays stray fibers picked up by the vacuum system back to the bins for reprocessing.  
Date of Manufacture/Reconstruction/Modification: 1998  
Installation Date: 1998  
InputOutput: Input  
Material: Resinated Wood Fibers  
MaterialType: Resinated Wood Fibers  
MaxHourlyRate: 13000  
MaxHourlyRateUnit: lbs/hr  
MaxAnnualInput: 56940  
MaxAnnualInputUnit: tons/yr  
MoistureContent: 0  
ControlDeviceID: C014  
DeviceType: Filter Media  
Manufacture: Aircon  
InstallationDate: 1998  
ReasonForOperation: Product recovery  
ReleasePointID: S014  
ReleasePointType: Vertical  
Latitude: 31.31491

Longitude: -83.0385  
Height: 122  
RuleID: 15  
RefType: SIP  
RefCode: .02(2)(e)  
Description: Particulate Emission from Manufacturing Processes  
RuleID: 6  
RefType: SIP  
RefCode: .02(2)(b)  
Description: Visible Emissions

\* [Group 9]

EGID: SEP EU17  
EGType: Single Emissions Path (SEP)  
NoSpecificMonitoring: Yes  
NoSpecificTesting: Yes  
EmissionDataFilled: Yes  
Description: System generated SEP Emission Path.  
-- Detail --:

Emission Path Group Type: Single Emissions Path (SEP)  
Emission Path Group Identifier: SEP EU17  
Check here if no specific monitoring needed: true  
Check here if no specific testing needed: true  
Description: System generated SEP Emission Path.  
EUID: EU17  
EUType: Miscellaneous  
InstallationDate: 1998

Detail

PollutantName: Particulate Matter (TSP)  
PollutantID: 604  
PollutantCd: PM  
SubDescription: Particulate Matter (TSP)  
SubstanceChemName: CAP1  
EmissionLimit: 5.96  
PotentialEmissions: 5.96  
CalculationMethod: Permit Limit  
Voluntarylimit: N  
ComplianceStatus: Yes  
PollutantName: PM10 (Filt + Cond)  
PollutantID: 606  
PollutantCd: PM-PRI  
SubDescription: PM Primary (Filt + Cond)  
SubstanceChemName: CAP1  
EmissionLimit: 5.96  
PotentialEmissions: 5.96  
CalculationMethod: Permit Limit

Voluntarylimit: N  
ComplianceStatus: Yes  
PollutantName: PM2.5 (Filt + Cond)  
PollutantID: 612  
PollutantCd: PM25-PRI  
SubDescription: PM2.5 Primary (Filt + Cond)  
SubstanceChemName: CAP1  
EmissionLimit: 5.96  
PotentialEmissions: 5.96  
CalculationMethod: Permit Limit  
Voluntarylimit: N  
ComplianceStatus: Yes  
Emission Unit Type: 10  
Emission Source Identifier: EU17  
Emission Source Name: Sanderdust Relay System  
Description: Sanderdust high pressure transport system.  
Date of Manufacture/Reconstruction/Modification: 1998  
Installation Date: 1998  
InputOutput: Input  
Material: Dust and fines  
MaterialType: Dust and fines  
MaxHourlyRate: 18000  
MaxHourlyRateUnit: lbs/hr  
MaxAnnualInput: 78840  
MaxAnnualInputUnit: tons/yr  
MoistureContent: 0  
ControlDeviceID: C017  
DeviceType: Filter Media  
Manufacture: Aircon  
Model: BV 16-6  
InstallationDate: 1998  
ReasonForOperation: Product recovery  
ReleasePointID: S017  
ReleasePointType: Vertical  
Latitude: 31.31601  
Longitude: -83.0381  
Height: 80  
RuleID: 15  
RefType: SIP  
RefCode: .02(2)(e)  
Description: Particulate Emission from Manufacturing Processes  
RuleID: 6  
RefType: SIP  
RefCode: .02(2)(b)  
Description: Visible Emissions

\* [Group 10]

EGID: SEP EU18  
EGType: Single Emissions Path (SEP)  
NoSpecificMonitoring: No  
NoSpecificTesting: Yes  
EmissionDataFilled: Yes  
Description: System generated SEP Emission Path.  
-- Detail --:

Emission Path Group Type: Single Emissions Path (SEP)  
Emission Path Group Identifier: SEP EU18  
Check here if no specific monitoring needed: false  
Check here if no specific testing needed: true  
Description: System generated SEP Emission Path.  
EUID: EU18  
EUType: Miscellaneous  
InstallationDate: 1998

Detail

PollutantName: Particulate Matter (TSP)  
PollutantID: 604  
PollutantCd: PM  
SubDescription: Particulate Matter (TSP)  
SubstanceChemName: CAP1  
EmissionLimit: 5.96  
PotentialEmissions: 5.96  
CalculationMethod: Permit Limit  
Voluntarylimit: N  
ComplianceStatus: Yes  
PollutantName: PM10 (Filt + Cond)  
PollutantID: 606  
PollutantCd: PM-PRI  
SubDescription: PM Primary (Filt + Cond)  
SubstanceChemName: CAP1  
EmissionLimit: 5.96  
PotentialEmissions: 5.96  
CalculationMethod: Permit Limit  
Voluntarylimit: N  
ComplianceStatus: Yes  
PollutantName: PM2.5 (Filt + Cond)  
PollutantID: 612  
PollutantCd: PM25-PRI  
SubDescription: PM2.5 Primary (Filt + Cond)  
SubstanceChemName: CAP1  
EmissionLimit: 5.96  
PotentialEmissions: 5.96  
CalculationMethod: Permit Limit  
Voluntarylimit: N

ComplianceStatus: Yes  
 Emission Unit Type: 10  
 Emission Source Identifier: EU18  
 Emission Source Name: Saw/Sanderdust Boiler Relay System  
 Description: Saw/Sanderdust high pressure transport system to fluidized bed energy system.  
 Date of Manufacture/Reconstruction/Modification: 1998  
 Installation Date: 1998  
 InputOutput: Input  
 Material: Resinated Wood Fibers  
 MaterialType: Resinated Wood Fibers  
 MaxHourlyRate: 19500  
 MaxHourlyRateUnit: lbs/hr  
 MaxAnnualInput: 85410  
 MaxAnnualInputUnit: tons/yr  
 MoistureContent: 0  
 ControlDeviceID: C018  
 DeviceType: Filter Media  
 Manufacture: Aircon  
 InstallationDate: 1998  
 ReasonForOperation: Product recovery  
 ReleasePointID: S018  
 ReleasePointType: Vertical  
 Latitude: 31.31577  
 Longitude: -83.038  
 Height: 74  
 RuleID: 15  
 RefType: SIP  
 RefCode: .02(2)(e)  
 Description: Particulate Emission from Manufacturing Processes  
 RuleID: 6  
 RefType: SIP  
 RefCode: .02(2)(b)  
 Description: Visible Emissions

\* [Group 11]

EGID: SEP EU19  
 EGType: Single Emissions Path (SEP)  
 NoSpecificMonitoring: No  
 NoSpecificTesting: Yes  
 EmissionDataFilled: Yes  
 Description: System generated SEP Emission Path.  
 -- Detail --:

Emission Path Group Type: Single Emissions Path (SEP)  
 Emission Path Group Identifier: SEP EU19  
 Check here if no specific monitoring needed: false



Check here if no specific testing needed: true  
Description: System generated SEP Emission Path.  
EUID: EU19  
EUType: Miscellaneous  
InstallationDate: 1998

#### Detail

PollutantName: Particulate Matter (TSP)  
PollutantID: 604  
PollutantCd: PM  
SubDescription: Particulate Matter (TSP)  
SubstanceChemName: CAP1  
EmissionLimit: 7.45  
PotentialEmissions: 7.45  
CalculationMethod: Permit Limit  
Voluntarylimit: N  
ComplianceStatus: Yes  
PollutantName: PM10 (Filt + Cond)  
PollutantID: 606  
PollutantCd: PM-PRI  
SubDescription: PM Primary (Filt + Cond)  
SubstanceChemName: CAP1  
EmissionLimit: 7.45  
PotentialEmissions: 7.45  
CalculationMethod: Permit Limit  
Voluntarylimit: N  
ComplianceStatus: Yes  
PollutantName: PM2.5 (Filt + Cond)  
PollutantID: 612  
PollutantCd: PM25-PRI  
SubDescription: PM2.5 Primary (Filt + Cond)  
SubstanceChemName: CAP1  
EmissionLimit: 7.45  
PotentialEmissions: 7.45  
CalculationMethod: Permit Limit  
Voluntarylimit: N  
ComplianceStatus: Yes  
Emission Unit Type: 10  
Emission Source Identifier: EU19  
Emission Source Name: Sawdust Pickup System  
Description: Sawdust collection system.  
Date of Manufacture/Reconstruction/Modification: 1998  
Installation Date: 1998  
InputOutput: Input  
Material: Dust and fines  
MaterialType: Dust and fines  
MaxHourlyRate: 3000

MaxHourlyRateUnit: lbs/hr  
MaxAnnualInput: 13140  
MaxAnnualInputUnit: tons/yr  
MoistureContent: 0  
ControlDeviceID: C019  
DeviceType: Filter Media  
Manufacture: Aircon  
InstallationDate: 1998  
ReasonForOperation: Product recovery  
ReleasePointID: S019  
ReleasePointType: Vertical  
Latitude: 31.31582  
Longitude: -83.0385  
Height: 65  
RuleID: 15  
RefType: SIP  
RefCode: .02(2)(e)  
Description: Particulate Emission from Manufacturing Processes  
RuleID: 6  
RefType: SIP  
RefCode: .02(2)(b)  
Description: Visible Emissions

\* [Group 12]

EGID: SEP EU20  
EGType: Single Emissions Path (SEP)  
NoSpecificMonitoring: No  
NoSpecificTesting: Yes  
EmissionDataFilled: Yes  
Description: System generated SEP Emission Path.  
-- Detail --:

Emission Path Group Type: Single Emissions Path (SEP)  
Emission Path Group Identifier: SEP EU20  
Check here if no specific monitoring needed: false  
Check here if no specific testing needed: true  
Description: System generated SEP Emission Path.  
EUID: EU20  
EUType: Miscellaneous  
InstallationDate: 1998

Detail

PollutantName: Particulate Matter (TSP)  
PollutantID: 604  
PollutantCd: PM  
SubDescription: Particulate Matter (TSP)  
SubstanceChemName: CAP1  
EmissionLimit: 4.38

PotentialEmissions: 4.38  
CalculationMethod: Permit Limit  
Voluntarylimit: N  
ComplianceStatus: Yes  
PollutantName: PM10 (Filt + Cond)  
PollutantID: 606  
PollutantCd: PM-PRI  
SubDescription: PM Primary (Filt + Cond)  
SubstanceChemName: CAP1  
EmissionLimit: 4.38  
PotentialEmissions: 4.38  
CalculationMethod: Permit Limit  
Voluntarylimit: N  
ComplianceStatus: Yes  
PollutantName: PM2.5 (Filt + Cond)  
PollutantID: 612  
PollutantCd: PM25-PRI  
SubDescription: PM2.5 Primary (Filt + Cond)  
SubstanceChemName: CAP1  
EmissionLimit: 4.38  
PotentialEmissions: 4.38  
CalculationMethod: Permit Limit  
Voluntarylimit: N  
ComplianceStatus: Yes  
Emission Unit Type: 10  
Emission Source Identifier: EU20  
Emission Source Name: Hogged Trim Relay System  
Description: Hogged trim high pressure transport system.  
Date of Manufacture/Reconstruction/Modification: 1998  
Installation Date: 1998  
InputOutput: Input  
Material: Hogged Wood Trim  
MaterialType: Hogged Wood Trim  
MaxHourlyRate: 9000  
MaxHourlyRateUnit: lbs/hr  
MaxAnnualInput: 39420  
MaxAnnualInputUnit: tons/yr  
MoistureContent: 5  
ControlDeviceID: C020  
DeviceType: Filter Media  
Manufacture: Aircon  
InstallationDate: 1998  
ReasonForOperation: Product recovery  
ReleasePointID: S020  
ReleasePointType: Vertical  
Latitude: 31.31582

Longitude: -83.0378  
Height: 74  
RuleID: 15  
RefType: SIP  
RefCode: .02(2)(e)  
Description: Particulate Emission from Manufacturing Processes  
RuleID: 6  
RefType: SIP  
RefCode: .02(2)(b)  
Description: Visible Emissions

\* [Group 13]

EGID: SEP EU21  
EGType: Single Emissions Path (SEP)  
NoSpecificMonitoring: No  
NoSpecificTesting: Yes  
EmissionDataFilled: Yes  
Description: System generated SEP Emission Path.  
-- Detail --:

Emission Path Group Type: Single Emissions Path (SEP)  
Emission Path Group Identifier: SEP EU21  
Check here if no specific monitoring needed: false  
Check here if no specific testing needed: true  
Description: System generated SEP Emission Path.  
EUID: EU21  
EUType: Miscellaneous  
InstallationDate: 1998

Detail

PollutantName: Particulate Matter (TSP)  
PollutantID: 604  
PollutantCd: PM  
SubDescription: Particulate Matter (TSP)  
SubstanceChemName: CAP1  
EmissionLimit: 4.38  
PotentialEmissions: 4.38  
CalculationMethod: Permit Limit  
Voluntarylimit: N  
ComplianceStatus: Yes  
PollutantName: PM10 (Filt + Cond)  
PollutantID: 606  
PollutantCd: PM-PRI  
SubDescription: PM Primary (Filt + Cond)  
SubstanceChemName: CAP1  
EmissionLimit: 4.38  
PotentialEmissions: 4.38  
CalculationMethod: Permit Limit

Voluntarylimit: N  
ComplianceStatus: Yes  
PollutantName: PM2.5 (Filt + Cond)  
PollutantID: 612  
PollutantCd: PM25-PRI  
SubDescription: PM2.5 Primary (Filt + Cond)  
SubstanceChemName: CAP1  
EmissionLimit: 4.38  
PotentialEmissions: 4.38  
CalculationMethod: Permit Limit  
Voluntarylimit: N  
ComplianceStatus: Yes  
Emission Unit Type: 10  
Emission Source Identifier: EU21  
Emission Source Name: Saw Trim Relay System  
Description: Saw trim high pressure relay system.  
Date of Manufacture/Reconstruction/Modification: 1998  
Installation Date: 1998  
InputOutput: Input  
Material: Dust and fines  
MaterialType: Dust and fines  
MaxHourlyRate: 3000  
MaxHourlyRateUnit: lbs/hr  
MaxAnnualInput: 13140  
MaxAnnualInputUnit: tons/yr  
MoistureContent: 0  
ControlDeviceID: C021  
DeviceType: Filter Media  
Manufacture: Aircon  
Model: BV 16-6  
InstallationDate: 1998  
ReasonForOperation: Product recovery  
ReleasePointID: S021  
ReleasePointType: Vertical  
Latitude: 31.31562  
Longitude: -83.0381  
Height: 62  
RuleID: 15  
RefType: SIP  
RefCode: .02(2)(e)  
Description: Particulate Emission from Manufacturing Processes  
RuleID: 6  
RefType: SIP  
RefCode: .02(2)(b)  
Description: Visible Emissions

\* [Group 14]

EGID: SEP EU22  
EGType: Single Emissions Path (SEP)  
NoSpecificMonitoring: No  
NoSpecificTesting: Yes  
EmissionDataFilled: No  
Description: System generated SEP Emission Path.  
-- Detail --:

Emission Path Group Type: Single Emissions Path (SEP)  
Emission Path Group Identifier: SEP EU22  
Check here if no specific monitoring needed: false  
Check here if no specific testing needed: true  
Description: System generated SEP Emission Path.  
EUID: EU22  
EUType: Miscellaneous  
InstallationDate: 1998

Detail

Emission Unit Type: 10  
Emission Source Identifier: EU22  
Emission Source Name: Press Vent System  
Description: The system presses the resinated wood fiber mats into the MDF product at elevated temperature and pressure.  
Date of Manufacture/Reconstruction/Modification: 1998  
Installation Date: 1998  
InputOutput: Input  
Material: Resinated Wood Fibers  
MaterialType: Resinated Wood Fibers  
MaxHourlyRate: 78000  
MaxHourlyRateUnit: lbs/hr  
MaxAnnualInput: 341640  
MaxAnnualInputUnit: tons/yr  
MoistureContent: 0  
ControlDeviceID: C006  
DeviceType: Biofilter/Bioscrubber  
Manufacture: Scheuch, Inc.  
Model: SABA 13.2  
DateManufactured: 2008  
InstallationDate: 2008  
ReasonForOperation: To comply with state or federal rule  
ControlDeviceID: C022  
DeviceType: Scrubber  
Manufacture: Fisher - Klosterman, Inc.  
InstallationDate: 1999  
ReasonForOperation: To comply with state or federal rule  
ReleasePointID: S006  
ReleasePointType: Vertical

Latitude: 31.32676  
 Longitude: -83.0472  
 Height: 156  
 RuleID: 143  
 RefType: MACT(Part 63)  
 RefCode: DDDD  
 Description: National Emission Standards for Hazardous Air  
 Pollutants: Plywood and Composite Wood Products  
 RuleID: 94  
 RefType: MACT(Part 63)  
 RefCode: A  
 Description: General Provisions  
 RuleID: 15  
 RefType: SIP  
 RefCode: .02(2)(e)  
 Description: Particulate Emission from Manufacturing  
 Processes  
 RuleID: 6  
 RefType: SIP  
 RefCode: .02(2)(b)  
 Description: Visible Emissions

\* [Group 15]

EGID: Sanderdust Relay Nos.1-2  
 EGType: Common Regulations (CReg) Group  
 NoSpecificMonitoring: No  
 NoSpecificTesting: Yes  
 EmissionDataFilled: Yes  
 Description:  
 -- Detail --:

Emission Path Group Type: Common Regulations (CReg) Group  
 Emission Path Group Identifier: Sanderdust Relay Nos.1-2  
 Check here if no specific monitoring needed: false  
 Check here if no specific testing needed: true  
 EUID: EU16  
 EUType: Miscellaneous  
 InstallationDate: 1998  
 Detail  
 EUID: EU15  
 EUType: Miscellaneous  
 InstallationDate: 1998  
 Detail  
 PollutantName: Particulate Matter (TSP)  
 PollutantID: 604  
 PollutantCd: PM  
 SubDescription: Particulate Matter (TSP)  
 SubstanceChemName: CAP1

EmissionLimit: 21.0  
PotentialEmissions: 21.0  
CalculationMethod: Permit Limit  
Voluntarylimit: N  
ComplianceStatus: Yes  
PollutantName: PM10 (Filt + Cond)  
PollutantID: 606  
PollutantCd: PM-PRI  
SubDescription: PM Primary (Filt + Cond)  
SubstanceChemName: CAP1  
EmissionLimit: 21.0  
PotentialEmissions: 21.0  
CalculationMethod: Permit Limit  
Voluntarylimit: N  
ComplianceStatus: Yes  
PollutantName: PM2.5 (Filt + Cond)  
PollutantID: 612  
PollutantCd: PM25-PRI  
SubDescription: PM2.5 Primary (Filt + Cond)  
SubstanceChemName: CAP1  
EmissionLimit: 21.0  
PotentialEmissions: 21.0  
CalculationMethod: Permit Limit  
Voluntarylimit: N  
ComplianceStatus: Yes  
Emission Unit Type: 10  
Emission Source Identifier: EU16  
Emission Source Name: Sanderdust Pickup System #2  
Description: Sanderdust collection system.  
Date of Manufacture/Reconstruction/Modification: 1998  
Installation Date: 1998  
InputOutput: Input  
Material: Dust and fines  
MaterialType: Dust and fines  
MaxHourlyRate: 9000  
MaxHourlyRateUnit: lbs/hr  
MaxAnnualInput: 39420  
MaxAnnualInputUnit: tons/yr  
MoistureContent: 0  
ControlDeviceID: C015  
DeviceType: Filter Media  
Manufacture: Aircon  
InstallationDate: 1998  
ReasonForOperation: Product recovery  
ControlDeviceID: C016  
DeviceType: Filter Media



Manufacture: Aircon  
InstallationDate: 1998  
ReasonForOperation: Product recovery  
ReleasePointID: S016  
ReleasePointType: Vertical  
Latitude: 31.31626  
Longitude: -83.0382  
Height: 65  
RuleID: 15  
RefType: SIP  
RefCode: .02(2)(e)  
Description: Particulate Emission from Manufacturing Processes  
RuleID: 6  
RefType: SIP  
RefCode: .02(2)(b)  
Description: Visible Emissions  
Emission Unit Type: 10  
Emission Source Identifier: EU15  
Emission Source Name: Sanderdust Pickup System #1  
Description: Sanderdust collection system.  
Date of Manufacture/Reconstruction/Modification: 1998  
Installation Date: 1998  
InputOutput: Input  
Material: Dust and Fines  
MaterialType: Dust and Fines  
MaxHourlyRate: 9000  
MaxHourlyRateUnit: lbs/hr  
MaxAnnualInput: 39420  
MaxAnnualInputUnit: tons/yr  
MoistureContent: 0  
ControlDeviceID: C015  
DeviceType: Filter Media  
Manufacture: Aircon  
InstallationDate: 1998  
ReasonForOperation: Product recovery  
ControlDeviceID: C016  
DeviceType: Filter Media  
Manufacture: Aircon  
InstallationDate: 1998  
ReasonForOperation: Product recovery  
ReleasePointID: S015  
ReleasePointType: Vertical  
Latitude: 31.31621  
Longitude: -83.0382  
Height: 71

RuleID: 15  
RefType: SIP  
RefCode: .02(2)(e)  
Description: Particulate Emission from Manufacturing Processes  
RuleID: 6  
RefType: SIP  
RefCode: .02(2)(b)  
Description: Visible Emissions

\* [Group 16]

EGID: SEP EU25  
EGType: Single Emissions Path (SEP)  
NoSpecificMonitoring: Yes  
NoSpecificTesting: Yes  
EmissionDataFilled: Yes  
Description: System generated SEP Emission Path.  
-- Detail --:

ComplianceStatus: Yes  
PollutantName: Nitrogen Oxides  
PollutantID: 599  
PollutantCd: NOX  
SubDescription: Nitrogen Oxides  
Emission Path Group Type: Single Emissions Path (SEP)  
Emission Path Group Identifier: SEP EU25  
Check here if no specific monitoring needed: true  
Check here if no specific testing needed: true  
Description: System generated SEP Emission Path.  
EUID: EU25  
EUType: Boilers, Furnaces & Other Indirect Contact Heat Generating Equipment  
InstallationDate: 2005

Detail

PollutantName: Sulfur Dioxide  
PollutantID: 614  
PollutantCd: SO2  
SubDescription: Sulfur Dioxide  
SubstanceChemName: CAP1  
EmissionLimit: 0.0127  
PotentialEmissions: 0.0127  
CalculationMethod: AP-42  
Voluntarylimit: N  
Emission Unit Type: 1  
Emission Source Identifier: EU25  
Emission Source Name: Wax Plant Boiler  
Description: Back-up boiler for Wax Plant operation.  
Manufacturer: Hurst

Model Number: S2-GA2-250-150  
Date of Manufacture/Reconstruction/Modification: 1987  
Installation Date: 2005  
Heat Input Capacity(MMBtu/Hr): 10  
FuelType: Propane  
MaxAnnualFuelConsumption: 1.005  
MaxHeatingValue: 91500  
MaxHeatingValueUnits: Btu/gal  
Comment: Note that "Max Annual Fuel Consumption" is in units of MM gallons/hr.  
Unit: Million Cubic Feet  
ReleasePointID: S025  
ReleasePointType: Vertical  
Latitude: 31.31623  
Longitude: -83.0382  
Height: 7  
RuleID: 94  
RefType: MACT(Part 63)  
RefCode: A  
Description: General Provisions  
RuleID: 20  
RefType: SIP  
RefCode: .02(2)(g)  
Description: Sulfur Dioxide  
RuleID: 12  
RefType: SIP  
RefCode: .02(2)(d)  
Description: Fuel-burning Equipment  
RuleID: 145  
RefType: MACT(Part 63)  
RefCode: DDDDD  
Description: National Emission Standards for Hazardous Air Pollutants for Industrial, Commercial, and Institutional Boilers and Process Heaters  
SubstanceChemName: CAP1  
EmissionLimit: 0.66  
PotentialEmissions: 0.66  
CalculationMethod: AP-42  
Voluntarylimit: N  
ComplianceStatus: Yes  
PollutantName: Carbon Monoxide  
PollutantID: 592  
PollutantCd: CO  
SubDescription: Carbon Monoxide  
SubstanceChemName: CAP1  
EmissionLimit: 0.38  
PotentialEmissions: 0.38

CalculationMethod: AP-42  
Voluntarylimit: N  
ComplianceStatus: Yes  
PollutantName: Particulate Matter (TSP)  
PollutantID: 604  
PollutantCd: PM  
SubDescription: Particulate Matter (TSP)  
SubstanceChemName: CAP1  
EmissionLimit: 0.0356  
PotentialEmissions: 0.0356  
CalculationMethod: AP-42  
Voluntarylimit: N  
ComplianceStatus: Yes  
PollutantName: Volatile Organic Compounds  
PollutantID: 617  
PollutantCd: VOC  
SubDescription: Volatile Organic Compounds  
SubstanceChemName: CAP1  
EmissionLimit: 0.0508  
PotentialEmissions: 0.0508  
CalculationMethod: AP-42  
Voluntarylimit: N  
ComplianceStatus: Yes  
PollutantName: PM10 (Filt + Cond)  
PollutantID: 606  
PollutantCd: PM-PRI  
SubDescription: PM Primary (Filt + Cond)  
SubstanceChemName: CAP1  
EmissionLimit: 0.0356  
PotentialEmissions: 0.0356  
CalculationMethod: AP-42  
Voluntarylimit: N  
ComplianceStatus: Yes  
PollutantName: PM2.5 (Filt + Cond)  
PollutantID: 612  
PollutantCd: PM25-PRI  
SubDescription: PM2.5 Primary (Filt + Cond)  
SubstanceChemName: CAP1  
EmissionLimit: 0.0356  
PotentialEmissions: 0.0356  
CalculationMethod: AP-42  
Voluntarylimit: N  
ComplianceStatus: Yes

\* [Group 17]

EGID:

SEP EU24

EGType:

Single Emissions Path (SEP)

NoSpecificMonitoring: No  
NoSpecificTesting: No  
EmissionDataFilled: No  
Description: System generated SEP Emission Path.  
-- Detail --:

Emission Unit Type: 1  
Emission Source Identifier: EU24  
Emission Source Name: Fluidized Bed System  
Description: Burns sawdust/ sanderdust. fines screened from raw material streams, board trim, and hogged fuel to supply steam to the press and hot air for the flash tube dryers.  
Manufacturer: Energy Products of Idaho  
Date of Manufacture/Reconstruction/Modification: 1998  
Installation Date: 1998  
Heat Input Capacity(MMBtu/Hr): 185  
FuelType: Wood Products  
MaxAnnualFuelConsumption: 141794  
MaxHeatingValue: 5718  
MaxHeatingValueUnits: Btu/lb  
MaxAllowableSulfurPercent: 2.5  
Unit: Tons  
ControlDeviceID: C006  
DeviceType: Biofilter/Bioscrubber  
Manufacture: Scheuch, Inc.  
Model: SABA 13.2  
DateManufactured: 2008  
InstallationDate: 2008  
ReasonForOperation: To comply with state or federal rule  
ControlDeviceID: C005  
DeviceType: Electrostatic Precipitator  
Manufacture: Geoenergy  
InstallationDate: 1998  
ReasonForOperation: To comply with state or federal rule  
ControlDeviceID: C025  
DeviceType: Electrostatic Precipitator  
Manufacture: Energy Products of Idaho  
InstallationDate: 1998  
ReasonForOperation: To comply with state or federal rule  
ControlDeviceID: C024  
DeviceType: Miscellaneous Device  
Manufacture: Energy Products of Idaho  
InstallationDate: 1998  
ReasonForOperation: To comply with state or federal rule  
ReleasePointID: S006  
ReleasePointType: Vertical  
Latitude: 31.32676  
Longitude: -83.0472

Height: 156  
 RuleID: 143  
 RefType: MACT(Part 63)  
 RefCode: DDDD  
 Description: National Emission Standards for Hazardous Air  
 Pollutants: Plywood and Composite Wood Products  
 RuleID: 136  
 RefType: NSPS(Part 60)  
 RefCode: Db  
 Description: Standards of Performance for Industrial-  
 Commercial-Institutional Steam Generating Units  
 RuleID: 94  
 RefType: MACT(Part 63)  
 RefCode: A  
 Description: General Provisions  
 RuleID: 20  
 RefType: SIP  
 RefCode: .02(2)(g)  
 Description: Sulfur Dioxide  
 RuleID: 12  
 RefType: SIP  
 RefCode: .02(2)(d)  
 Description: Fuel-burning Equipment  
 RuleID: 96  
 RefType: NSPS(Part 60)  
 RefCode: A  
 Description: General Provisions  
 Emission Path Group Type: Single Emissions Path (SEP)  
 Emission Path Group Identifier: SEP EU24  
 Check here if no specific monitoring needed: false  
 Check here if no specific testing needed: false  
 Description: System generated SEP Emission Path.  
 EUID: EU24  
 EUType: Boilers, Furnaces & Other Indirect Contact Heat  
 Generating Equipment  
 InstallationDate: 1998

Detail

\* [Group 18]

EGID:	SEP EU26
EGType:	Single Emissions Path (SEP)
NoSpecificMonitoring:	No
NoSpecificTesting:	Yes
EmissionDataFilled:	Yes
Description:	System generated SEP Emission Path.
-- Detail --:	

Emission Unit Type: 10  
 Emission Source Identifier: EU26

Emission Source Name: Ash Storage Silo  
Description: Ash Storage Silo for Fluidized Bed Combustion  
Unit

Date of Manufacture/Reconstruction/Modification: 1998

Installation Date: 1998

InputOutput: Input

Material: Ash

MaterialType: Ash

MaxAnnualInput: 0

MaxAnnualInputUnit: tons per year

MoistureContent: 0

ControlDeviceID: C026

DeviceType: Filter Media

Manufacture: Aircon

Model: BB-36-84-IIG

DateManufactured: 1998

InstallationDate: 1998

ReasonForOperation: To comply with state or federal rule

ReleasePointID: S026

ReleasePointType: Vertical

Latitude: 31.31584

Longitude: -83.0381

Height: 44

RuleID: 15

RefType: SIP

RefCode: .02(2)(e)

Description: Particulate Emission from Manufacturing  
Processes

RuleID: 6

RefType: SIP

RefCode: .02(2)(b)

Description: Visible Emissions

Emission Path Group Type: Single Emissions Path (SEP)

Emission Path Group Identifier: SEP EU26

Check here if no specific monitoring needed: false

Check here if no specific testing needed: true

Description: System generated SEP Emission Path.

EUID: EU26

EUType: Miscellaneous

InstallationDate: 1998

Detail

PollutantName: Particulate Matter (TSP)

PollutantID: 604

PollutantCd: PM

SubDescription: Particulate Matter (TSP)

SubstanceChemName: CAP1

EmissionLimit: 4.38

PotentialEmissions: 4.38  
 CalculationMethod: Permit Limit  
 Voluntarylimit: N  
 ComplianceStatus: Yes  
 PollutantName: PM10 (Filt + Cond)  
 PollutantID: 606  
 PollutantCd: PM-PRI  
 SubDescription: PM Primary (Filt + Cond)  
 SubstanceChemName: CAP1  
 EmissionLimit: 4.38  
 PotentialEmissions: 4.38  
 CalculationMethod: Permit Limit  
 Voluntarylimit: N  
 ComplianceStatus: Yes  
 PollutantName: PM2.5 (Filt + Cond)  
 PollutantID: 612  
 PollutantCd: PM25-PRI  
 SubDescription: PM2.5 Primary (Filt + Cond)  
 SubstanceChemName: CAP1  
 EmissionLimit: 4.38  
 PotentialEmissions: 4.38  
 CalculationMethod: Permit Limit  
 Voluntarylimit: N  
 ComplianceStatus: Yes

\* [Group 19]

EGID: SEP T001  
 EGType: Single Emissions Path (SEP)  
 NoSpecificMonitoring: No  
 NoSpecificTesting: No  
 EmissionDataFilled: Yes  
 Description: System generated SEP Emission Path.  
 -- Detail --:

Emission Unit Type: 10  
 Emission Source Identifier: T001  
 Emission Source Name: TLC Sawing and Moulding Lines  
 Description: Saws, Sanders, and Routers  
 Manufacturer: Aircon  
 Model Number: 16 RA 412-10  
 Date of Manufacture/Reconstruction/Modification: 2001  
 Installation Date: 2001  
 InputOutput: Input  
 Material: Wood Panels  
 MaterialType: Wood Panels  
 MaxHourlyRate: 15  
 MaxHourlyRateUnit: tons/hr  
 MaxAnnualInput: 131400



MaxAnnualInputUnit: tons/yr  
MoistureContent: 0  
ControlDeviceID: TC01  
DeviceType: Filter Media  
Manufacture: Aircon  
Model: 16 RA 412-10  
DateManufactured: 2001  
InstallationDate: 2001  
ReasonForOperation: Product recovery  
ReleasePointID: TS01  
ReleasePointType: Vertical  
Latitude: 31.31247  
Longitude: -83.0335  
Height: 30  
RuleID: 143  
RefType: MACT(Part 63)  
RefCode: DDDD  
Description: National Emission Standards for Hazardous Air  
Pollutants: Plywood and Composite Wood Products  
RuleID: 94  
RefType: MACT(Part 63)  
RefCode: A  
Description: General Provisions  
RuleID: 15  
RefType: SIP  
RefCode: .02(2)(e)  
Description: Particulate Emission from Manufacturing  
Processes  
RuleID: 6  
RefType: SIP  
RefCode: .02(2)(b)  
Description: Visible Emissions  
Emission Path Group Type: Single Emissions Path (SEP)  
Emission Path Group Identifier: SEP T001  
Check here if no specific monitoring needed: false  
Check here if no specific testing needed: false  
Description: System generated SEP Emission Path.  
EUID: T001  
EUType: Miscellaneous  
InstallationDate: 2001  
Detail  
PollutantName: Particulate Matter (TSP)  
PollutantID: 604  
PollutantCd: PM  
SubDescription: Particulate Matter (TSP)  
SubstanceChemName: CAP1  
EmissionLimit: 8.00

PotentialEmissions: 8.00  
 CalculationMethod: Permit Limit  
 Voluntarylimit: N  
 ComplianceStatus: Yes  
 PollutantName: PM10 (Filt + Cond)  
 PollutantID: 606  
 PollutantCd: PM-PRI  
 SubDescription: PM Primary (Filt + Cond)  
 SubstanceChemName: CAP1  
 EmissionLimit: 8.00  
 PotentialEmissions: 8.00  
 CalculationMethod: Permit Limit  
 Voluntarylimit: N  
 ComplianceStatus: Yes  
 PollutantName: PM2.5 (Filt + Cond)  
 PollutantID: 612  
 PollutantCd: PM25-PRI  
 SubDescription: PM2.5 Primary (Filt + Cond)  
 SubstanceChemName: CAP1  
 EmissionLimit: 8.00  
 PotentialEmissions: 8.00  
 CalculationMethod: Permit Limit  
 Voluntarylimit: N  
 ComplianceStatus: Yes

\* [Group 20]

EGID: SEP T002  
 EGType: Single Emissions Path (SEP)  
 NoSpecificMonitoring: No  
 NoSpecificTesting: No  
 EmissionDataFilled: Yes  
 Description: System generated SEP Emission Path.  
 -- Detail --:

Emission Unit Type: 10  
 Emission Source Identifier: T002  
 Emission Source Name: TLC Painting and Finishing Operations  
 Description: Painting and Finishing Line Operations  
 Manufacturer: Aircon  
 Model Number: 16 RA 412-10  
 Date of Manufacture/Reconstruction/Modification: 2001  
 Installation Date: 2001  
 InputOutput: Input  
 Material: Wood Panels  
 MaterialType: Wood Panels  
 MaxHourlyRate: 15  
 MaxHourlyRateUnit: tons/hr  
 MaxAnnualInput: 131400

MaxAnnualInputUnit: tons/yr  
MoistureContent: 0  
ControlDeviceID: TC02  
DeviceType: Filter Media  
Manufacture: Aircon  
Model: 16 RA 412-10  
DateManufactured: 2001  
InstallationDate: 2001  
ReasonForOperation: Product recovery  
ReleasePointID: TS02  
ReleasePointType: Vertical  
Latitude: 31.3126  
Longitude: -83.0335  
Height: 30  
RuleID: 271  
RefType: MACT(Part 63)  
RefCode: QQQQ  
Description: National Emission Standards for Hazardous Air  
Pollutants: Surface Coating of Wood Building Products  
RuleID: 94  
RefType: MACT(Part 63)  
RefCode: A  
Description: General Provisions  
RuleID: 15  
RefType: SIP  
RefCode: .02(2)(e)  
Description: Particulate Emission from Manufacturing  
Processes  
RuleID: 6  
RefType: SIP  
RefCode: .02(2)(b)  
Description: Visible Emissions  
Emission Path Group Type: Single Emissions Path (SEP)  
Emission Path Group Identifier: SEP T002  
Check here if no specific monitoring needed: false  
Check here if no specific testing needed: false  
Description: System generated SEP Emission Path.  
EUID: T002  
EUType: Miscellaneous  
InstallationDate: 2001  
Detail  
PollutantName: Particulate Matter (TSP)  
PollutantID: 604  
PollutantCd: PM  
SubDescription: Particulate Matter (TSP)  
SubstanceChemName: CAP1  
EmissionLimit: 2.00

PotentialEmissions: 2.00  
CalculationMethod: Permit Limit  
Voluntarylimit: N  
ComplianceStatus: Yes  
PollutantName: Volatile Organic Compounds  
PollutantID: 617  
PollutantCd: VOC  
SubDescription: Volatile Organic Compounds  
SubstanceChemName: CAP1  
EmissionLimit: 9.0  
PotentialEmissions: 9.0  
CalculationMethod: Permit Limit  
Voluntarylimit: N  
ComplianceStatus: Yes  
PollutantName: Nitrogen Oxides  
PollutantID: 599  
PollutantCd: NOX  
SubDescription: Nitrogen Oxides  
SubstanceChemName: CAP1  
EmissionLimit: 1.26  
PotentialEmissions: 1.26  
CalculationMethod: AP-42  
Voluntarylimit: N  
ComplianceStatus: Yes  
PollutantName: Carbon Monoxide  
PollutantID: 592  
PollutantCd: CO  
SubDescription: Carbon Monoxide  
SubstanceChemName: CAP1  
EmissionLimit: 0.73  
PotentialEmissions: 0.73  
CalculationMethod: AP-42  
Voluntarylimit: N  
ComplianceStatus: Yes  
PollutantName: Sulfur Dioxide  
PollutantID: 614  
PollutantCd: SO2  
SubDescription: Sulfur Dioxide  
SubstanceChemName: CAP1  
EmissionLimit: 0.02  
PotentialEmissions: 0.02  
CalculationMethod: AP-42  
Voluntarylimit: N  
ComplianceStatus: Yes  
PollutantName: PM10 (Filt + Cond)  
PollutantID: 606

PollutantCd: PM-PRI  
 SubDescription: PM Primary (Filt + Cond)  
 SubstanceChemName: CAP1  
 EmissionLimit: 2.00  
 PotentialEmissions: 2.00  
 CalculationMethod: Permit Limit  
 Voluntarylimit: N  
 ComplianceStatus: Yes  
 PollutantName: PM2.5 (Filt + Cond)  
 PollutantID: 612  
 PollutantCd: PM25-PRI  
 SubDescription: PM2.5 Primary (Filt + Cond)  
 SubstanceChemName: CAP1  
 EmissionLimit: 2.00  
 PotentialEmissions: 2.00  
 CalculationMethod: Permit Limit  
 Voluntarylimit: N  
 ComplianceStatus: Yes

\* [Group 21]

EGID: SEP T003  
 EGType: Single Emissions Path (SEP)  
 NoSpecificMonitoring: Yes  
 NoSpecificTesting: Yes  
 EmissionDataFilled: No  
 Description: System generated SEP Emission Path.  
 -- Detail --:

Emission Unit Type: 10  
 Emission Source Identifier: T003  
 Emission Source Name: Pellet Mill  
 Description: Pellet Mill Operations  
 Date of Manufacture/Reconstruction/Modification: 2002  
 Installation Date: 2002  
 InputOutput: Input  
 Material: Sawdust  
 MaterialType: Sawdust  
 MaxHourlyRate: 500  
 MaxHourlyRateUnit: lbs/hr  
 MaxAnnualInput: 2190  
 MaxAnnualInputUnit: tons/yr  
 RuleID: 15  
 RefType: SIP  
 RefCode: .02(2)(e)  
 Description: Particulate Emission from Manufacturing Processes  
 RuleID: 6  
 RefType: SIP

RefCode: .02(2)(b)

Description: Visible Emissions

Emission Path Group Type: Single Emissions Path (SEP)

Emission Path Group Identifier: SEP T003

Check here if no specific monitoring needed: true

Check here if no specific testing needed: true

Description: System generated SEP Emission Path.

EUID: T003

EUType: Miscellaneous

InstallationDate: 2002

Detail