Disclaimer

This is an updated PDF document that allows you to type your information directly into the form, print it, and save the completed form.

Note: This form can be viewed and saved only using Adobe Acrobat Reader version 7.0 or higher, or if you have the full Adobe Professional version.

Instructions:

- 1. Type in your information
- 2. Save file (if desired)
- 3. Print the completed form
- Sign and date the printed copy
 Mail it to the directed contact.

FORM 2A NPDES

NPDES FORM 2A APPLICATION OVERVIEW

APPLICATION OVERVIEW

Form 2A has been developed in a modular format and consists of a "Basic Application Information" packet and a "Supplemental Application Information" packet. The Basic Application Information packet is divided into two parts. All applicants must complete Parts A and C. Applicants with a design flow greater than or equal to 0.1 mgd must also complete Part B. Some applicants must also complete the Supplemental Application Information packet. The following items explain which parts of Form 2A you must complete.

BASIC APPLICATION INFORMATION:

- **A.** Basic Application Information for all Applicants. All applicants must complete questions A.1 through A.8. A treatment works that discharges effluent to surface waters of the United States must also answer questions A.9 through A.12.
- **B.** Additional Application Information for Applicants with a Design Flow > 0.1 mgd. All treatment works that have design flows greater than or equal to 0.1 million gallons per day must complete questions B.1 through B.6.
- C. Certification. All applicants must complete Part C (Certification).

SUPPLEMENTAL APPLICATION INFORMATION:

- D. Expanded Effluent Testing Data. A treatment works that discharges effluent to surface waters of the United States and meets one or more of the following criteria must complete Part D (Expanded Effluent Testing Data):
 - 1. Has a design flow rate greater than or equal to 1 mgd,
 - 2. Is required to have a pretreatment program (or has one in place), or
 - 3. Is otherwise required by the permitting authority to provide the information.
- E. Toxicity Testing Data. A treatment works that meets one or more of the following criteria must complete Part E (Toxicity Testing Data):
 - 1. Has a design flow rate greater than or equal to 1 mgd,
 - 2. Is required to have a pretreatment program (or has one in place), or
 - 3. Is otherwise required by the permitting authority to submit results of toxicity testing.
- F. Industrial User Discharges and RCRA/CERCLA Wastes. A treatment works that accepts process wastewater from any significant industrial users (SIUs) or receives RCRA or CERCLA wastes must complete Part F (Industrial User Discharges and RCRA/CERCLA Wastes). SIUs are defined as:
 - 1. All industrial users subject to Categorical Pretreatment Standards under 40 Code of Federal Regulations (CFR) 403.6 and 40 CFR Chapter I, Subchapter N (see instructions); and
 - 2. Any other industrial user that:
 - a. Discharges an average of 25,000 gallons per day or more of process wastewater to the treatment works (with certain exclusions); or
 - b. Contributes a process wastestream that makes up 5 percent or more of the average dry weather hydraulic or organic capacity of the treatment plant; or
 - c. Is designated as an SIU by the control authority.
- **G.** Combined Sewer Systems. A treatment works that has a combined sewer system must complete Part G (Combined Sewer Systems).

ALL APPLICANTS MUST COMPLETE PART C (CERTIFICATION)

BASIC APPLICATION INFORMATION

PART A. BASIC APPLICATION INFORMATION FOR ALL APPLICANTS: All treatment works must complete questions A.1 through A.8 of this Basic Application Information packet. A.1. Facility Information. LENOX (WPCP) Facility name Mailing Address P. O. Box 560 Cook Lenox GA 31637 Teresa Barber Contact person City Clerk Title 229-546-4252 Telephone number Ole Union Road Facility Address Cook Lenox GA 31637 (not P.O. Box) A.2. Applicant Information. If the applicant is different from the above, provide the following: **Tindall Enterprises Inc** Applicant name PO Box 618 Mailing Address Blackshear 31516 GA Keith Pearson III Erney Contact person Field Director Title 912-449-0999 107 Telephone number Is the applicant the owner or operator (or both) of the treatment works? operator owner Indicate whether correspondence regarding this permit should be directed to the facility or the applicant. V facility applicant A.3. Existing Environmental Permits. Provide the permit number of any existing environmental permits that have been issued to the treatment works (include state-issued permits). NPDES GA0031950 PSD UIC Other RCRA Other A.4. Collection System Information. Provide information on municipalities and areas served by the facility. Provide the name and population of each entity and, if known, provide information on the type of collection system (combined vs. separate) and its ownership (municipal, private, etc.). Name **Population Served** Type of Collection System Ownership 1000 Lenox Seperate Municipal Total population served 1000

		Y NAME AND PERMIT NUMBER: WPCP)			Form Approved OMB Number 2		
A.5.	Ind	lian Country.		1			
	a.	Is the treatment works located in Indian Co	ountry?				
		Yes 🖌 No					
	b.	Does the treatment works discharge to a r through) Indian Country?		n Indian Country or that	is upstream from	(and eventual	ly flows
		Yes No					
.6.	ave	w. Indicate the design flow rate of the trea erage daily flow rate and maximum daily flo riod with the 12th month of "this year" occur	w rate for each of the last three	ee years. Each year's d	ata must be based		
	a.	Design flow rate mgd					
			Two Years Ago	Last Year	This Year	<u>.</u>	
	b.	Annual average daily flow rate	.18	.13	.07		mgd
	C.	Maximum daily flow rate	.45	.38	.13		mgd
.7.		llection System. Indicate the type(s) of contribution (by miles) of each.	ellection system(s) used by the	e treatment plant. Chec	k all that apply. A	lso estimate f	he percen
	V	, Separate sanitary sewer			100		%
		Combined storm and sanitary sewer					_ %
.8.	Dis	scharges and Other Disposal Methods.					
	a.	Does the treatment works discharge efflue	ent to waters of the U.S.?		✔ Yes		No
		If yes, list how many of each of the following		he treatment works use	s:		_
		i. Discharges of treated effluent			1	l	
		ii. Discharges of untreated or partially tre	eated effluent		()	
		iii. Combined sewer overflow points			(`	
		iv. Constructed emergency overflows (pri	ior to the headworks))	
		v. Other				,	
		v. outer			-		
	b.	Does the treatment works discharge efflue impoundments that do not have outlets for			Yes	v	_ No
		If yes, provide the following for each surface	ce impoundment:				
		Location:					
		Annual average daily volume discharged t	o surface impoundment(s)			mgd	
		Is discharge continuous or	intermittent?				
			a d uura ta uusta r2		Vee	~	Nia
	C.	Does the treatment works land-apply treat			Yes		_ No
		If yes, provide the following for each land a					
		Number of commu					
			4				
		Annual average daily volume applied to si	te:	Mgd			
		In Investment Sec. 1		1 10			
		Is land application continue	ous or intermit	tent?			

FACILITY NAME	AND	PERMIT	NUMBER:
LENOX (WPCP)			

If transport is by a party	other than the applicant, provide:	
Transporter name:		
Mailing Address:		
Contact person:		
Title:		
Telephone number:		
For each treatment wor	s that receives this discharge, provide the following:	
Name:		
Name: Mailing Address:		
Mailing Address:		
Mailing Address: Contact person:		
Mailing Address: Contact person: Title:		
Mailing Address: Contact person: Title: Telephone number:		
Mailing Address: Contact person: Title: Telephone number: If known, provide the NF	DES permit number of the treatment works that receives this discharge.	
Mailing Address: Contact person: Title: Telephone number: If known, provide the NF		mgd
Mailing Address: Contact person: Title: Telephone number: If known, provide the NF Provide the average dat	DES permit number of the treatment works that receives this discharge.	mgd
Mailing Address: Contact person: Title: Telephone number: If known, provide the NH Provide the average dai Does the treatment wor A.8.a through A.8.d abo	DES permit number of the treatment works that receives this discharge. y flow rate from the treatment works into the receiving facility. s discharge or dispose of its wastewater in a manner not included in	v
Mailing Address: Contact person: Title: Telephone number: If known, provide the NE Provide the average dat Does the treatment wor A.8.a through A.8.d about If yes, provide the follow	DES permit number of the treatment works that receives this discharge. y flow rate from the treatment works into the receiving facility. s discharge or dispose of its wastewater in a manner not included in /e (e.g., underground percolation, well injection)?	v

WASTEWATER DISCHARGES:

If you answered "yes" to question A.8.a, complete questions A.9 through A.12 once for each outfall (including bypass points) through which effluent is discharged. Do not include information on combined sewer overflows in this section. If you answered "no" to question A.8.a, go to Part B, "Additional Application Information for Applicants with a Design Flow Greater than or Equal to 0.1 mgd."

a. Outfall number 001	
(City or town, if applicable) (Zip Co Coak GA (County) (State) 31,271416 -83.480029 (Latitude) (Longitu c. Distance from shore (if applicable) ft. d. Depth below surface (if applicable) ft. e. Average daily flow rate 0.067 mgd f. Does this outfall have either an intermittent or a periodic discharge? Yes N If yes, provide the following information: Number of times per year discharge occurs: N Average duration of each discharge:	
d. Depth below surface (if applicable)	
e. Average daily flow rate 0.067 mgd f. Does this outfall have either an intermittent or a periodic discharge? Yes N If yes, provide the following information: Yes N Number of times per year discharge occurs: Yes N Average duration of each discharge: Average flow per discharge: n Average flow per discharge occurs:	
f. Does this outfall have either an intermittent or a periodic discharge? Yes N If yes, provide the following information: Number of times per year discharge occurs: N Average duration of each discharge:	
periodic discharge? Yes ✓ N If yes, provide the following information: Number of times per year discharge occurs: N Average duration of each discharge:	
Number of times per year discharge occurs: Average duration of each discharge: Average flow per discharge: Average flow per discharge: Months in which discharge occurs: g. Is outfall equipped with a diffuser? Yes Yes X10. Description of Receiving Waters. a. Name of receiving water Unnamed Tributary to Little River b. Name of watershed (if known) Suwance United States Soil Conservation Service 14-digit watershed code (if known): c. Name of State Management/River Basin (if known):	(go to A.9.g.)
Average duration of each discharge: Average flow per discharge: Average flow per discharge: Months in which discharge occurs: g. Is outfall equipped with a diffuser? Yes Yes N Name of Receiving Waters. a. Name of receiving water Unnamed Tributary to Little River b. Name of watershed (if known) Suwanee United States Soil Conservation Service 14-digit watershed code (if known): c. Name of State Management/River Basin (if known):	
Average flow per discharge: Months in which discharge occurs: g. Is outfall equipped with a diffuser? Yes <u>Yes</u> N Note: Note: Name of Receiving Waters. a. Name of receiving water <u>Unnamed Tributary to Little River</u> b. Name of watershed (if known) <u>Suwanee</u> United States Soil Conservation Service 14-digit watershed code (if known): c. Name of State Management/River Basin (if known):	
Months in which discharge occurs: g. Is outfall equipped with a diffuser? Yes Yes Nome of Receiving Waters. a. Name of receiving water Unnamed Tributary to Little River b. Name of watershed (if known) Suwance United States Soil Conservation Service 14-digit watershed code (if known): c. Name of State Management/River Basin (if known):	ad .
g. Is outfall equipped with a diffuser? Yes ✓ N .10. Description of Receiving Waters. a. Name of receiving water Unnamed Tributary to Little River ✓ N b. Name of watershed (if known)	Ju
a. Name of receiving water Unnamed Tributary to Little River b. Name of watershed (if known) Suwance United States Soil Conservation Service 14-digit watershed code (if known):	1
b. Name of watershed (if known)	
United States Soil Conservation Service 14-digit watershed code (if known):	
c. Name of State Management/River Basin (if known):	
United States Geological Survey 8-digit hydrologic cataloging unit code (if known):	
d. Critical low flow of receiving stream (if applicable): acute cfs chronic cfs	
e. Total hardness of receiving stream at critical low flow (if applicable): mg/l of Cat	0 ₃

		MBER:				rm Approved 1/14/99 IB Number 2040-0086		
A.11. Description of Tr	eatment.							
a. What levels of	treatment a	re provided? (Check all that	apply.				
✓ Pi	imary		Sec	condary				
Ao	dvanced		Oth	er. Describe:	2 Cell Oxida	tion with fixed	aerator and chlorir	ne disinfection
b. Indicate the fo	llowing remo	oval rates (as a	applicable):					
Design BOD ₅	removal <u>or</u> D	esign CBOD	removal		85		%	
Design SS rer					85		%	
Design P remo	oval						%	
Design N rem							%	
Other							%	
	1		- 60					
c. What type of c	lisinfection is	s used for the	effluent from	this outfall? If dis	sinfection varie	s by season, p	blease describe.	
Liquid Chlorin	ation							
If disinfection i	s by chlorina	ation, is dechlo	prination used	d for this outfall?		Ye	es 🔽	No
d. Does the treat	ment plant h	ave post aera	tion?			Y	es 🔽	No
of 40 CFR Part 13 At a minimum, ef	6 and other fluent testir	r appropriate	QA/QC requ	irements for sta	andard metho	ds for analyte	es not addresse	d by 40 CFR Part 13
of 40 CFR Part 13	36 and other fluent testir <u>.001</u>	r appropriate ng data must	QA/QC requ be based or	irements for sta	andard metho	ds for analyte nust be no me	es not addresse	QA/QC requirements d by 40 CFR Part 136 d one-half years apa
of 40 CFR Part 13 At a minimum, ef Outfall number:	36 and other fluent testir <u>.001</u>	r appropriate ng data must	QA/QC requ be based or	irements for stand the sta	andard metho	ds for analyte nust be no mo AVE	es not addresse ore than four an	d by 40 CFR Part 136 d one-half years apa
of 40 CFR Part 13 At a minimum, ef Outfall number: PARAME ⁻	36 and other fluent testir <u>.001</u>	r appropriate ng data must	QA/QC requ be based or MAXIMUM D	uirements for sta n at least three s AILY VALUE Units	andard metho samples and r	ds for analyte nust be no mo AVE	es not addresse ore than four an RAGE DAILY VA	d by 40 CFR Part 136 d one-half years apa ALUE
of 40 CFR Part 13 At a minimum, ef Outfall number: PARAME ⁻ H (Minimum)	36 and other fluent testir <u>.001</u>	r appropriate ng data must	QA/QC requ be based or MAXIMUM D	uirements for sta n at least three s DAILY VALUE Units S.U.	andard metho samples and r	ds for analyte nust be no mo AVE	es not addresse ore than four an RAGE DAILY VA	d by 40 CFR Part 136 d one-half years apa ALUE
of 40 CFR Part 13 At a minimum, ef Outfall number: PARAME ⁻ H (Minimum) H (Maximum)	36 and other fluent testir <u>.001</u>	r appropriate ng data must	QA/QC requ be based or MAXIMUM D Value	uirements for sta n at least three s AILY VALUE Units	andard metho samples and r	ds for analyte nust be no mo AVE	es not addresse ore than four an RAGE DAILY VA Units	d by 40 CFR Part 136 d one-half years apa ALUE Number of Samples
of 40 CFR Part 13 At a minimum, ef Outfall number: PARAME [*] H (Minimum) H (Maximum)	36 and other fluent testir <u>.001</u>	cappropriate ng data must	QA/QC requised or MAXIMUM D	uirements for sta n at least three s DAILY VALUE Units S.U. S.U.	andard metho camples and r Valu	AVE	es not addresse pre than four an RAGE DAILY VA Units 36	d by 40 CFR Part 136 d one-half years apa ALUE Number of Samples
of 40 CFR Part 13 At a minimum, ef Outfall number: PARAME [®] H (Minimum) H (Maximum) Now Rate emperature (Winter)	36 and other fluent testir <u>.001</u>	6.8 6.7 1.13	QA/QC requ be based or MAXIMUM D Value	Ally VALUE Units S.u. s.u.	andard metho samples and r Valu	AVE	es not addresse pre than four an RAGE DAILY VA Units 36 us 4	d by 40 CFR Part 136 d one-half years apa ALUE Number of Samples
of 40 CFR Part 13 At a minimum, ef Outfall number: PARAME [®] H (Minimum) H (Maximum) H (Maximum) H (Maximum)	66 and other fluent testin <u>001</u> TER	appropriate ng data must 6.8 8.7 .13 14.3 29.3	QA/QC requises based or MAXIMUM D	AllY VALUE Units Units S.U. S.U. Celcius Celcius	andard metho samples and n Valu .07 12.45	AVE AVE	es not addresse pre than four an RAGE DAILY VA Units 36 us 4	d by 40 CFR Part 136 d one-half years apa ALUE Number of Samples
of 40 CFR Part 13 At a minimum, ef Outfall number: PARAME ⁻ PH (Minimum) OH (Maximum) OH (Maximum) Clow Rate Cemperature (Winter)	66 and other fluent testin 001 FER	6.8 6.8 6.8 113 14.3 29.3 10m and a max	QA/QC requises based or MAXIMUM D	Alley VALUE Units S.U. S.U. Celcius Value	andard metho samples and n Valu .07 12.45	AVE AVE	es not addresse pre than four an RAGE DAILY VA Units 36 us 4	ALUE Number of Samples
of 40 CFR Part 13 At a minimum, ef Outfall number: PARAME [®] H (Minimum) H (Maximum) H (Maximum) Now Rate emperature (Winter) * For pH please re	66 and other fluent testin 001 FER	6.8 6.8 6.8 113 14.3 29.3 10m and a max	QA/QC requises based or MAXIMUM D Value	Alley VALUE Units S.U. S.U. Celcius Value	andard metho samples and n Valu 07 12.45 28.9	AVE AVE	es not addresse pre than four an RAGE DAILY VA Units 30 us 4 ius 5 ANALYTICAL METHOD	ALUE Number of Samples
of 40 CFR Part 13 At a minimum, ef Outfall number: PARAME ^T H (Minimum) H (Maximum) low Rate Temperature (Winter) Temperature (Summer) * For pH please re POLLUTANT	66 and other fluent testin 	6.8 6.8 6.8 8.7 .13 14.3 29.3 num and a mai MAXIMU DISCI Conc.	QA/QC requises the based or MAXIMUM D MAXIMUM D Value	AllY VALUE Units Units S.U. S.U. S.U. Celcius Value AVERAC	Andard metho camples and r Value 07 12.45 28.9 3E DAILY DIS	AVE AVE Je AVE Celci CHARGE	es not addresse pre than four an RAGE DAILY VA Units 30 us 4 ius 5 ANALYTICAL METHOD	ALUE Number of Samples
of 40 CFR Part 13 At a minimum, ef Outfall number: PARAME PARAME H (Minimum) H (Maximum) H	56 and other fluent testin ΓΕR port a minim	6.8 6.8 6.8 8.7 .13 14.3 29.3 num and a mai MAXIMU DISCI Conc.	QA/QC requises the based or MAXIMUM D MAXIMUM D Value	AllY VALUE Units Units S.U. S.U. S.U. Celcius Value AVERAC	Andard metho camples and r Value 07 12.45 28.9 3E DAILY DIS	AVE AVE Je AVE Celci CHARGE	es not addresse pre than four an RAGE DAILY VA Units 30 us 4 ius 5 ANALYTICAL METHOD	ALUE Number of Samples
of 40 CFR Part 13 At a minimum, ef Outfall number: PARAME ^T PARAME ^T PARAMET PAR	Donconve BOD-5 CBOD-5	6.8 6.8 6.8 8.7 .13 14.3 29.3 14.3 14.3 29.3 14.3 14.3 29.3 14.3 14.3 29.3 14.3 14.3 29.3 14.3 14.3 29.3 14.3 14.3 29.3 14.3 14.3 29.3 14.3 14.3 14.3 29.3 14.3 14.3 14.3 29.3 14.3 14.3 14.3 14.3 14.3 14.3 14.3 14	QA/QC requises based or MAXIMUM D MAXIMUM D Value	Alleria a least three s at least three s Ally VALUE Units S.u. s.u. celcius Celcius value AVERAC	andard metho samples and r Valu .07 12.45 28.9 GE DAILY DIS Units	AVE	ANALYTICAL METHOD	ALUE Number of Samples ML / MDL 2.0 2.0
of 40 CFR Part 13 At a minimum, ef Outfall number: PARAME ^T PARAME ^T PARAME ^T PARAME ^T PARAME ^T PARAME	Donconve BOD-5 CBOD-5	r appropriate ng data must data must 6.8 8.7 .13 14.3 29.3 14.3 29.3 14.3 29.3 14.3 29.3 14.3 29.3 14.3 29.3 14.3 29.3 14.3 29.3 14.3 29.3 14.3 29.3 14.3 29.3 14.3 29.3 14.3 29.3 14.3 29.3 14.3 29.3 14.3 29.3 14.3 29.3 14.3 29.3 14.3 29.3 14.3 14.3 29.3 14.3 14.3 29.3 14.3 14.3 14.3 14.3 14.3 14.3 14.3 14	QA/QC requises based or MAXIMUM D MAXIMUM D Value	Ally VALUE Units Units S.U. S.U. S.U. Celcius	andard metho samples and r Valu .07 12.45 28.9 GE DAILY DIS Units	AVE AVE Je AVE Je Mgd Celci Celci CHARGE Samples	es not addresse pre than four an RAGE DAILY VA Units 30 us 4 ius 5 ANALYTICAL METHOD	ALUE Number of Samples Number of ML / MDL 2.0 1.0
of 40 CFR Part 13 At a minimum, ef Outfall number: PARAME ^T DH (Minimum) DH (Maximum) DH (Maximum) Flow Rate Temperature (Winter) Temperature (Summer) * For pH please re POLLUTANT CONVENTIONAL AND N IOCHEMICAL OXYGEN EMAND (Report one) ECAL COLIFORM	Donconve Bod-5 CBOD-5	6.8 6.8 6.8 8.7 .13 14.3 29.3 14.3 14.3 29.3 14.3 14.3 29.3 14.3 14.3 29.3 14.3 14.3 29.3 14.3 14.3 29.3 14.3 14.3 29.3 14.3 14.3 29.3 14.3 14.3 14.3 29.3 14.3 14.3 14.3 29.3 14.3 14.3 14.3 14.3 14.3 14.3 14.3 14	QA/QC requises based or MAXIMUM D MAXIMUM D Value 0 Value 0 Va	Alleast three s Sule Sule Celcius Celc	andard metho samples and r Valu 07 12.45 28.9 GE DAILY DIS Units	AVE AVE AVE Je Mgd Celci Celci CHARGE Number of Samples	ANALYTICAL METHOD	ALUE Number of Samples ML / MDL 2.0 2.0
of 40 CFR Part 13 At a minimum, ef Outfall number: PARAME ^T PARAME ^T PARAMET P	Donconve BOD-5 CBOD-5 IDS (TSS)	A conc. A c	QA/QC requises based or MAXIMUM D MAXIMUM D Value 6 value 7 value 7 va	AllY VALUE Units S.U. S.U. S.U. S.U. Celcius C	andard metho samples and r Valu 07 12.45 28.9 3E DAILY DIS Units mg/1 mpn mg/1 RT A.	AVE AVE AVE Je Mgd Celci Celci CHARGE CHARGE 52 52	es not addresse pre than four an RAGE DAILY VA Units 36 us 4 ius 5 ANALYTICAL METHOD SM 5210 B SM 5210 B SM 9223 B SM 2540 D	ALUE Number of Samples ML / MDL 2.0 1.0 5.0

BASIC APPLICATION INFORMATION

PART B. ADDITIONAL APPLICATION INFORMATION FOR APPLICANTS WITH A DESIGN FLOW GREATER THAN OR EQUAL TO 0.1 MGD (100,000 gallons per day).

All applicants with a design flow rate \geq 0.1 mgd must answer questions B.1 through B.6. All others go to Part C (Certification).

B.1. Inflow and Infiltration. Estimate the average number of gallons per day that flow into the treatment works from inflow and/or infiltration. 5000 apd

Briefly explain any steps underway or planned to minimize inflow and infiltration.

The city is constantly addressing I&I issues and have made considerable progress over the last three years.

- **B.2.** Topographic Map. Attach to this application a topographic map of the area extending at least one mile beyond facility property boundaries. This map must show the outline of the facility and the following information. (You may submit more than one map if one map does not show the entire area.)
 - a. The area surrounding the treatment plant, including all unit processes.
 - b. The major pipes or other structures through which wastewater enters the treatment works and the pipes or other structures through which treated wastewater is discharged from the treatment plant. Include outfalls from bypass piping, if applicable.
 - c. Each well where wastewater from the treatment plant is injected underground.
 - d. Wells, springs, other surface water bodies, and drinking water wells that are: 1) within 1/4 mile of the property boundaries of the treatment works, and 2) listed in public record or otherwise known to the applicant.
 - e. Any areas where the sewage sludge produced by the treatment works is stored, treated, or disposed.
 - f. If the treatment works receives waste that is classified as hazardous under the Resource Conservation and Recovery Act (RCRA) by truck, rail, or special pipe, show on the map where that hazardous waste enters the treatment works and where it is treated, stored, and/or disposed.
- **B.3. Process Flow Diagram or Schematic.** Provide a diagram showing the processes of the treatment plant, including all bypass piping and all backup power sources or redundancy in the system. Also provide a water balance showing all treatment units, including disinfection (e.g, chlorination and dechlorination). The water balance must show daily average flow rates at influent and discharge points and approximate daily flow rates between treatment units. Include a brief narrative description of the diagram.

B.4. Operation/Maintenance Performed by Contractor(s).

Are any operational or maintenance aspects (related to wastewater treatment and effluent quality) of the treatment works the responsibility of a contractor?

If yes, list the name, address, telephone number, and status of each contractor and describe the contractor's responsibilities (attach additional pages if necessary).

Name: <u>Tindall Enterprises Inc</u>	
--------------------------------------	--

Mailing Address: PO Box 618 Blackshear Ga 31503

Telephone Number: <u>912-449-0999</u>

Responsibilities of Contractor: <u>Testing/Operations</u>

B.5. Scheduled Improvements and Schedules of Implementation. Provide information on any uncompleted implementation schedule or uncompleted plans for improvements that will affect the wastewater treatment, effluent quality, or design capacity of the treatment works. If the treatment works has several different implementation schedules or is planning several improvements, submit separate responses to question B.5 for each. (If none, go to question B.6.)

a. List the outfall number (assigned in question A.9) for each outfall that is covered by this implementation schedule.

b. Indicate whether the planned improvements or implementation schedule are required by local, State, or Federal agencies.

_Yes ___No

FACILITY NAME AND P LENOX (WPCP)	ERMIT NUMBER	:				oproved 1/14/99 umber 2040-0086	
c If the answer to	o B.5.b is "Yes," b	riefly describe, in	cluding new ma	ximum daily inflo	w rate (if applica	ble).	
applicable. For		lanned independ	ently of local, St		entation steps listed below, as lanned or actual completion dates, as		
		Schedul	e	Actual Completi	on		
Implementation	n Stage	<u>MM / DE</u>) / YYYY	MM / DD / YYYY	<u>(</u>		
– Begin constru	uction	/	<u> </u>	//	-		
 End construct 	tion	/	_/	//	-		
– Begin discha	rge	/	_/	//	-		
– Attain operati	ional level	/	_/	//	-		
	ate permits/cleara	•		•		9Yes _	No
testing required by overflows in this se methods. In addition	charge to waters of the permitting aut action. All informa on, this data must for analytes not a d must be no more	of the US must pr thority <u>for each o</u> tion reported mu comply with QA/ ddressed by 40 0	ovide effluent te utfall through wh st be based on o QC requiremen CFR Part 136. A	hich effluent is dis data collected thread ts of 40 CFR Part At a minimum, effl	<u>charged.</u> Do no ough analysis co t 136 and other a	eters. Provide the in t include information inducted using 40 CF appropriate QA/QC re a must be based on a	on combined sewer R Part 136 equirements for
POLLUTANT		MUM DAILY	AVEF	RAGE DAILY DIS	CHARGE		
	DIS Conc.	CHARGE Units	Conc.	Units	Number of Samples	ANALYTICAL METHOD	ML / MDL
CONVENTIONAL AND N	ONCONVENTION	NAL COMPOUN	DS.				
AMMONIA (as N)	11.9	mg/l	7.21	mg/l	3	SM 4500 NH3 D	0.1
CHLORINE (TOTAL RESIDUAL, TRC)	0.81	mg/l	0.6	mg/l	9	SM 4500 CL-G	0.01
DISSOLVED OXYGEN	7.21	mg/l	6.22	mg/l	9	SM 4500 O-G	0.01
TOTAL KJELDAHL NITROGEN (TKN)	16.0	mg/l	9.13	mg/l	3	SM 4500 NORG C	0.1
NITRATE PLUS NITRITE NITROGEN	3.23	mg/l	1.2	mg/l	3	SM 4500 NO3 DE	0.1
OIL and GREASE	24.2	mg/l	14.4	mg/l	3	EPA 1664 A	5.0
PHOSPHORUS (Total)	3.6	mg/l	2.37	mg/l	3	Hach 8190	0.1
TOTAL DISSOLVED SOLIDS (TDS)	320	mg/l	280	mg/l	3	SM 2540 C	5.0
OTHER							
REFER TO THE						OTHER PAR	TS OF FORM

BASIC APPLICATION INFORMATION

PART C. CERTIFICATION

All applicants must complete the Certification Section. Refer to instructions to determine who is an officer for the purposes of this certification. All applicants must complete all applicable sections of Form 2A, as explained in the Application Overview. Indicate below which parts of Form 2A you have completed and are submitting. By signing this certification statement, applicants confirm that they have reviewed Form 2A and have completed all sections that apply to the facility for which this application is submitted.

Indicate which parts of Form 2A you have completed and are submitting:									
Basic Application Information packet	Supplemental Application Information packet:								
	Part D (Expanded Effluent Testing Data)								
	Part E (Toxicity Testing: Biomonitoring Data)								
	Part F (Industrial User Discharges and RCRA/CERCLA Wastes)								
	Part G (Combined Sewer Systems)								
ALL APPLICANTS MUST COMPLETE THE FOLLO	DWING CERTIFICATION.								
designed to assure that qualified personnel properly who manage the system or those persons directly res	all attachments were prepared under my direction or supervision in accordance with a system gather and evaluate the information submitted. Based on my inquiry of the person or persons sponsible for gathering the information, the information is, to the best of my knowledge and t there are significant penalties for submitting false information, including the possibility of fine								

Name and official title		
Signature		
Telephone number		
Date signed		-
	itting authority, you must submit any other information necessary to assess wastewater treatment ate permitting requirements.	practices at the treatment

SEND COMPLETED FORMS TO:

SUPPLEMENTAL APPLICATION INFORMATION

PART D. EXPANDED EFFLUENT TESTING DATA

Refer to the directions on the cover page to determine whether this section applies to the treatment works.

Effluent Testing: 1.0 mgd and Pretreatment Treatment Works. If the treatment works has a design flow greater than or equal to 1.0 mgd or it has (or is required to have) a pretreatment program, or is otherwise required by the permitting authority to provide the data, then provide effluent testing data for the following pollutants. Provide the indicated effluent testing information and any other information required by the permitting authority for each outfall through which effluent is discharged. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analyses conducted using 40 CFR Part 136 methods. In addition, these data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136. Indicate in the blank rows provided below any data you may have on pollutants not specifically listed in this form. At a minimum, effluent testing data must be based on at least three pollutant scans and must be no more than four and one-half years old.

Outfall number:	(Cor	nplete c	once for e	each out	fall disch	arging e	ffluent to	waters	d States.)		
POLLUTANT	MAXIMUM DAILY DISCHARGE				A١	/ERAGE	E DAILY	DISCH	ARGE		
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
METALS (TOTAL RECOVERABLE),	CYANIDE,	PHENO	LS, AND	HARDNE	SS.						
ANTIMONY											
ARSENIC											
BERYLLIUM											
CADMIUM											
CHROMIUM											
COPPER											
LEAD											
MERCURY											
NICKEL											
SELENIUM											
SILVER											
THALLIUM											
ZINC											
CYANIDE											
TOTAL PHENOLIC COMPOUNDS											
HARDNESS (AS CaCO ₃)											
Use this space (or a separate sheet) to	provide ir	formatio	n on othe	metals re	equested b	by the per	rmit writer		I		

Outfall number:		_ (Complete once for each outfall							States.)	tes.)		
POLLUTANT	N		JM DAIL` HARGE	Y	A۱	/ERAGE	E DAILY	DISCH				
	Conc.			Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL	
VOLATILE ORGANIC COMPOUNDS.									Campico			
ACROLEIN												
ACRYLONITRILE												
BENZENE												
BROMOFORM												
CARBON TETRACHLORIDE												
CLOROBENZENE												
CHLORODIBROMO-METHANE												
CHLOROETHANE												
2-CHLORO-ETHYLVINYL ETHER												
CHLOROFORM												
DICHLOROBROMO-METHANE												
1,1-DICHLOROETHANE												
1,2-DICHLOROETHANE												
TRANS-1,2-DICHLORO-ETHYLENE												
1,1-DICHLOROETHYLENE												
1,2-DICHLOROPROPANE												
1,3-DICHLORO-PROPYLENE												
ETHYLBENZENE												
METHYL BROMIDE												
METHYL CHLORIDE												
METHYLENE CHLORIDE												
1,1,2,2-TETRACHLORO-ETHANE												
TETRACHLORO-ETHYLENE												
TOLUENE												

Outfall number:	_ (Comp	lete onc	e for ead	ch outfall	discharg	ging efflu	ient to w	aters of	the United	States.)	
POLLUTANT	MAXIMUM DAILY DISCHARGE				A۱	/ERAGE	E DAILY	DISCH			
	Conc.	DISCI Units		Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
1,1,1-TRICHLOROETHANE											
1,1,2-TRICHLOROETHANE											
TRICHLORETHYLENE											
VINYL CHLORIDE											
Use this space (or a separate sheet) to	provide in	formatio	n on othei	volatile o	organic cor	npounds	requeste	d by the p	permit writer.		
ACID-EXTRACTABLE COMPOUNDS											
P-CHLORO-M-CRESOL											
2-CHLOROPHENOL											
2,4-DICHLOROPHENOL											
2,4-DIMETHYLPHENOL											
4,6-DINITRO-O-CRESOL											
2,4-DINITROPHENOL											
2-NITROPHENOL											
4-NITROPHENOL											
PENTACHLOROPHENOL											
PHENOL											
2,4,6-TRICHLOROPHENOL											
Use this space (or a separate sheet) to	provide in	formatio	n on othei	acid-extr	actable co	mpounds	s requeste	ed by the	permit writer.		·
BASE-NEUTRAL COMPOUNDS.											
ACENAPHTHENE											
ACENAPHTHYLENE											
ANTHRACENE											
BENZIDINE											
BENZO(A)ANTHRACENE											
BENZO(A)PYRENE											

Outfall number:	_ (Comp	lete onc	e for eac	ch outfall	discharg	ing efflu	uent to w	aters of	the United S	States.)	
POLLUTANT	N		IM DAIL` IARGE	Y	AVERAGE DAILY DISCHARGE						
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
3,4 BENZO-FLUORANTHENE											
BENZO(GHI)PERYLENE											
BENZO(K)FLUORANTHENE											
BIS (2-CHLOROETHOXY) METHANE											
BIS (2-CHLOROETHYL)-ETHER											
BIS (2-CHLOROISO-PROPYL) ETHER											
BIS (2-ETHYLHEXYL) PHTHALATE											
4-BROMOPHENYL PHENYL ETHER											
BUTYL BENZYL PHTHALATE											
2-CHLORONAPHTHALENE											
4-CHLORPHENYL PHENYL ETHER											
CHRYSENE											
DI-N-BUTYL PHTHALATE											
DI-N-OCTYL PHTHALATE											
DIBENZO(A,H) ANTHRACENE											
1,2-DICHLOROBENZENE											
1,3-DICHLOROBENZENE											
1,4-DICHLOROBENZENE											
3,3-DICHLOROBENZIDINE											
DIETHYL PHTHALATE											
DIMETHYL PHTHALATE											
2,4-DINITROTOLUENE											
2,6-DINITROTOLUENE											
1,2-DIPHENYLHYDRAZINE											

Outfall number:	_ (Comp	lete onc	e for eac	ch outfall	discharg	ging efflu	uent to w	aters of	the United	States.)	
POLLUTANT	N		JM DAIL` HARGE	Y	A۱	/ERAGE	EDAILY	DISCH	ARGE		
	Conc.	Units	Mass	Units	Conc.	Units	Mass	Units	Number of Samples	ANALYTICAL METHOD	ML/ MDL
FLUORANTHENE									Campios		
FLUORENE											
HEXACHLOROBENZENE											
HEXACHLOROBUTADIENE											
HEXACHLOROCYCLO- PENTADIENE											
HEXACHLOROETHANE											
INDENO(1,2,3-CD)PYRENE											
ISOPHORONE											
NAPHTHALENE											
NITROBENZENE											
N-NITROSODI-N-PROPYLAMINE											
N-NITROSODI- METHYLAMINE											
N-NITROSODI-PHENYLAMINE											
PHENANTHRENE											
PYRENE											
1,2,4-TRICHLOROBENZENE											
Use this space (or a separate sheet) to	provide in	formatio	n on other	base-nei	utral comp	ounds re	quested b	by the per	rmit writer.		1
Use this space (or a separate sheet) to	provide in	formatio	n on other	pollutant	s (e.g., pe	sticides)	requested	by the p	ermit writer.		
				•		,	•				
REFER TO THE APP	LICAT	ION		RVIEV	D OF I V TO I MUS1	DETE	RMIN		HICH O	THER PARTS	S OF FORM

SUPPLEMENTAL APPLICATION INFORMATION

PART E. TOXICITY TESTING DATA

POTWs meeting one or more of the following criteria must provide the results of whole effluent toxicity tests for acute or chronic toxicity for each of the facility's discharge points: 1) POTWs with a design flow rate greater than or equal to 1.0 mgd; 2) POTWs with a pretreatment program (or those that are required to have one under 40 CFR Part 403); or 3) POTWs required by the permitting authority to submit data for these parameters.

- At a minimum, these results must include quarterly testing for a 12-month period within the past 1 year using multiple species (minimum of two species), or the results from four tests performed at least annually in the four and one-half years prior to the application, provided the results show no appreciable toxicity, and testing for acute and/or chronic toxicity, depending on the range of receiving water dilution. Do not include information on combined sewer overflows in this section. All information reported must be based on data collected through analysis conducted using 40 CFR Part 136 methods. In addition, this data must comply with QA/QC requirements of 40 CFR Part 136 and other appropriate QA/QC requirements for standard methods for analytes not addressed by 40 CFR Part 136.
- In addition, submit the results of any other whole effluent toxicity tests from the past four and one-half years. If a whole effluent toxicity
 test conducted during the past four and one-half years revealed toxicity, provide any information on the cause of the toxicity or any results
 of a toxicity reduction evaluation, if one was conducted.
- If you have already submitted any of the information requested in Part E, you need not submit it again. Rather, provide the information requested in question E.4 for previously submitted information. If EPA methods were not used, report the reasons for using alternate methods. If test summaries are available that contain all of the information requested below, they may be submitted in place of Part E.

If no biomonitoring data is required, do not complete Part E. Refer to the Application Overview for directions on which other sections of the form to complete.

E.1. Required Tests.

Indicate the number of whole effluent toxicity tests conducted in the past four and one-half years.

___chronic ____acute

E.2. Individual Test Data. Complete the following chart for each whole effluent toxicity test conducted in the last four and one-half years. Allow one column per test (where each species constitutes a test). Copy this page if more than three tests are being reported.

	Test number:	Test number:	Test number:
a. Test information.			
Test species & test method number			
Age at initiation of test			
Outfall number			
Dates sample collected			
Date test started			
Duration			
b. Give toxicity test methods followe	ed.		
Manual title			
Edition number and year of publication			
Page number(s)			
c. Give the sample collection metho	od(s) used. For multiple grab sample	es, indicate the number of grab sample	s used.
24-Hour composite			
Grab			
d. Indicate where the sample was ta	aken in relation to disinfection. (Chec	k all that apply for each)	
Before disinfection			
After disinfection			
After dechlorination			

FACILITY NAME AND PERMIT NUMBER:	
LENOX (WPCP)	

	Test number:	Test number:	Test number:
e. Describe the point in the treatment	nt process at which the sample was	collected.	
Sample was collected:			
f. For each test, include whether the	e test was intended to assess chronic	c toxicity, acute toxicity, or both.	
Chronic toxicity			
Acute toxicity			
g. Provide the type of test performe	d.		
Static			
Static-renewal			
Flow-through			
h. Source of dilution water. If labora	atory water, specify type; if receiving	water, specify source.	
Laboratory water			
Receiving water			
i. Type of dilution water. It salt wate	er, specify "natural" or type of artificia	I sea salts or brine used.	
Fresh water			
Salt water			
j. Give the percentage effluent used	I for all concentrations in the test ser	ies.	
k. Parameters measured during the	test. (State whether parameter mee	ts test method specifications)	
рН			
Salinity			
Temperature			
Ammonia			
Dissolved oxygen			
I. Test Results.			
Acute:			
Percent survival in 100% effluent	%	%	%
LC ₅₀			
95% C.I.	%	%	%
Control percent survival	%	%	%
Other (describe)			

FACILITY NAME	AND PERMIT	NUMBER:
LENOX (WPCP)		

Chronic: NOEC % % % IC_{25} % % % % % % Control percent survival Other (describe) m. Quality Control/Quality Assurance. Is reference toxicant data available? Was reference toxicant test within acceptable bounds? What date was reference toxicant test run (MM/DD/YYYY)? Other (describe) E.3. Toxicity Reduction Evaluation. Is the treatment works involved in a Toxicity Reduction Evaluation? __Yes___No If yes, describe: E.4. Summary of Submitted Biomonitoring Test Information. If you have submitted biomonitoring test information, or information regarding the cause of toxicity, within the past four and one-half years, provide the dates the information was submitted to the permitting authority and a summary of the results. _____ (MM/DD/YYYY) Date submitted: Summary of results: (see instructions) END OF PART E. **REFER TO THE APPLICATION OVERVIEW TO DETERMINE WHICH OTHER PARTS OF FORM** 2A YOU MUST COMPLETE.

SUPPLEMENTAL APPLICATION INFORMATION

PART F. INDUSTRIAL USER DISCHARGES AND RCRA/CERCLA WASTES

All treatment works receiving discharges from significant industrial users or which receive RCRA, CERCLA, or other remedial wastes must complete Part F.

GENERAL INFORMATION:

F.1. Pretreatment Program. Does the treatment works have, or is it subject to, an approved pretreatment program?

___Yes___No

F.2. Number of Significant Industrial Users (SIUs) and Categorical Industrial Users (CIUs). Provide the number of each of the following types of industrial users that discharge to the treatment works.

a. Number of non-categorical SIUs.

b. Number of CIUs.

SIGNIFICANT INDUSTRIAL USER INFORMATION:

	bly the following information for each SIL provide the information requested for ea	J. If more than one SIU discharges to the treatment works, copy questions ch SIU.	F.3 through F.8
F 3	Significant Industrial User Information	Provide the name and address of each SILL discharging to the treatment works	Submit additional

г.э.	Significant industrial oser information. Frovide the name and address of each Sto discharging to the treatment works. Submit additional	
	pages as necessary.	
	Name:	

Mailing <i>I</i>	Address:
------------------	----------

F.4. Industrial Processes. Describe all of the industrial processes that affect or contribute to the SIU's discharge.

F.5.	Principal Product(s) and Raw Material(s).	Describe all of the principal processes and raw materials that affect or contribute to the SIU's
	discharge.	

Raw material(s):

Principal product(s):

F.6. Flow Rate.

a. Process wastewater flow rate. Indicate the average daily volume of process wastewater discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.

_____ gpd (____continuous or _____intermittent)

b. Non-process wastewater flow rate. Indicate the average daily volume of non-process wastewater flow discharged into the collection system in gallons per day (gpd) and whether the discharge is continuous or intermittent.

_____ gpd (_____continuous or _____intermittent)

F.7. Pretreatment Standards. Indicate whether the SIU is subject to the following:

a. Local limits ____Yes ____No

b. Categorical pretreatment standards ____Yes ____No

If subject to categorical pretreatment standards, which category and subcategory?

FACILITY NAME	AND	PERMIT	NUMBER:
LENOX (WPCP)			

	Yes	No	If yes, describe	e each epis	ode.				_
CR		DOUS WAS	STE RECEIVED B	Y TRUCK		CATED PII	PELINE:		
			e treatment works red No (go to F.12.)	ceive or has	s it in the past three	ears receiv	ed RCRA hazardou	us waste by truck, rail,	or dedicated
10.	Waste Trar	nsport. Met	hod by which RCRA	waste is re	eceived (check all that	it apply):			
	Truc	:k	Rail	De	dicated Pipe				
	Waata Daa	orintian Ci	ive EDA bezerdeue v	vooto pumk	ar and amount (value	mo or mooo	anagify unita)		
		dous Waste I			per and amount (volu <u>Amount</u>		Units).		
					MEDIATION/COR ACTIVITY WASTE				
							will) receive waste	from remedial activiti	es?
			13 through F.15.)		No				
				rmation (F	.13 - F.15.) for each	current and	futuro sito		
13	Waste Orio	nin Describe	e the site and type o	f facility at y	which the CERCLA/	RCRA/or oth	er remedial waste	originates (or is exper	ted to origin
	Waste Orig		e the site and type o	f facility at v	which the CERCLA/f	RCRA/or oth	er remedial waste	originates (or is expec	eted to origin
14.	Pollutants.	ive years).		that are re				originates (or is exped	_
14.	Pollutants.	ive years).	zardous constituents	that are re					_
14.	Pollutants. known. (Att	List the haz tach addition	zardous constituents al sheets if necessar	that are re		ted to be rea			_
14.	Pollutants. Pollutants. known. (Att Waste Trea a. Is this w	List the haz tach addition	zardous constituents al sheets if necessar	that are re	eceived (or are expec	ted to be rea			_
14.	Pollutants. known. (Att Waste Trea a. Is this w	List the haz tach addition atment. vaste treated	zardous constituents al sheets if necessar	that are re ry).	eceived (or are expec	ted to be rea			_
14.	Pollutants. known. (Att Waste Trea a. Is this w	List the haz tach addition atment. vaste treated	zardous constituents al sheets if necessar	that are re ry).	eceived (or are expec	ted to be rea			_
14.	Pollutants. Pollutants. known. (Att Waste Trea a. Is this w Ye If yes, d 	List the haz atment. vaste treated lescribe the t	zardous constituents al sheets if necessar	that are re ry).) prior to en formation a	eceived (or are expect ntering the treatment about the removal eff	ted to be rea			_
14.	Pollutants. Pollutants. known. (Att Waste Trea a. Is this w Ye If yes, d b. Is the di	List the haz atment. vaste treated lescribe the t	zardous constituents al sheets if necessal I (or will it be treated) treatment (provide in will the discharge be	that are re ry).) prior to en formation a	eceived (or are expect ntering the treatment about the removal eff	ted to be rea	ceived). Include da		_
14.	Pollutants. Pollutants. known. (Att Waste Trea a. Is this w Ye If yes, d b. Is the di	List the haz tach addition atment. vaste treated sNo lescribe the t	zardous constituents al sheets if necessal I (or will it be treated) treatment (provide in will the discharge be) prior to en formation a	eceived (or are expect intering the treatment about the removal eff	ted to be rea	ceived). Include da		_

SUPPLEMENTAL APPLICATION INFORMATION

PART G. COMBINED SEWER SYSTEMS

If the treatment works has a combined sewer system, complete Part G.

- G.1. System Map. Provide a map indicating the following: (may be included with Basic Application Information)
 - a. All CSO discharge points.
 - b. Sensitive use areas potentially affected by CSOs (e.g., beaches, drinking water supplies, shellfish beds, sensitive aquatic ecosystems, and outstanding natural resource waters).
 - c. Waters that support threatened and endangered species potentially affected by CSOs.
- **G.2.** System Diagram. Provide a diagram, either in the map provided in G.1. or on a separate drawing, of the combined sewer collection system that includes the following information:
 - a. Locations of major sewer trunk lines, both combined and separate sanitary.
 - b. Locations of points where separate sanitary sewers feed into the combined sewer system.
 - c. Locations of in-line and off-line storage structures.
 - d. Locations of flow-regulating devices.
 - e. Locations of pump stations.

CSO OUTFALLS:

Com	Complete questions G.3 through G.6 once <u>for each CSO discharge point</u> .						
G.3.	Des	escription of Outfall.					
	a.	Outfall number					
	b.	Location	(City or town, if applicable)		(Zip Code)		
			((
			(County)		(State)		
			(Latitude)		(Longitude)		
	C.	Distance from shore (if a	pplicable)	ft.			
	d.	Depth below surface (if a	applicable)	ft.			
	e.	Which of the following we	ere monitored during the last year for this CS	80?			
		Rainfall	CSO pollutant concentrations	CSO frequenc	÷y		
		CSO flow volumeReceiving water quality					
	f.	How many storm events were monitored during the last year?					
G.4.	csc	SO Events.					
	a.	Give the number of CSO	events in the last year.				
		events (_ actual or approx.)				
	b.	Give the average duratio	n per CSO event.				
		hours (_ actual or approx.)				

ENOX (W	Y NAME AND PERMIT NUMBER: VPCP)	Form Approved 1/14/99 OMB Number 2040-0086
C.	Give the average volume per CSO event.	
	million gallons (actual or approx.)	
d.	Give the minimum rainfall that caused a CSO event in the last year.	
	inches of rainfall	
6.5. Des	cription of Receiving Waters.	
a.	Name of receiving water:	
b.	Name of watershed/river/stream system:	
	United States Soil Conservation Service 14-digit watershed code (if know	vn):
C.	Name of State Management/River Basin:	
	United States Geological Survey 8-digit hydrologic cataloging unit code	if known):
.6. CSC	O Operations.	
per	scribe any known water quality impacts on the receiving water caused by manent or intermittent shell fish bed closings, fish kills, fish advisories, ot ality standard).	
	END OF PAR	T G.

2A YOU MUST COMPLETE.

Additional information, if provided, will appear on the following pages.

SLUDGE ADDENDUM

Complete this part if you have an effective NPDES permit or have been directed by the permitting authority to submit a full permit application at this time. In other words, complete this part if your facility has, or is applying for, an NPDES permit.

For purposes of this form, the term "you" refers to the applicant. "This facility" and "your facility" refer to the facility for which application information is submitted.

APPLICATION OVERVIEW - SEWAGE SLUDGE USE OR DISPOSAL INFORMATION

- 1. PART A: SEWAGE SLUDGE GENERATION AND MANAGEMENT Part A must be completed by all applicants.
- 2. PART B: DISPOSAL IN A SOLID WASTE LANDFILL Part B must be completed by applicants that dispose sludge in a solid waste landfill.
- 3. PART C: LAND APPLICATION OF SEWAGE SLUDGE Part C must be completed by applicants who either:
 - 1) Apply bulk sewage to the land, or
 - 2) Sell or give away sewage sludge in a bag or other container for application to the land.
- 4. PART D: OFFSITE TREATMENT OR BLENDING Part D must be completed by applicants who send sewage sludge offsite for treatment or blending.
- 5. PART E: INCINERATION Part E must be completed by applicants who incinerate sewage sludge.

PART A: SEWAGE SLUDGE GENERATION AND MANAGEMENT

A.1. Sewage Sludge Management.

Indicate the sludge use or disposal method(s) used at the facility (check all that apply):

Landfill	
Send offsite for treatment or blending	
Land Application	
Incineration	
Sell or giveaway in bag or other container	
Other (specify)	□

A.2. **Description.** Provide a narrative that identifies all sewage sludge processes that will be employed during the term of the permit, including all processes used for collecting, dewatering, storing, or treating sewage sludge.

Dredgeing, Dried in Geotubes

A.3. Contractor Information.

Are any operational or maintenance aspects of this facility related to sewage sludge generation, treatment, use or disposal the responsibility of a contractor? <u>Yes</u> No

If yes, provide the following for each contractor (attach additional pages if necessary):

a.	Name	GRWA		
b.	Mailing Address	PO Box 383 Barnesville Ga 30204		
c.	Telephone Number	770-358-0221		
d.	Responsibilities of co	ntractor		

PART A: SEWAGE SLUDGE GENERATION AND MANAGEMENT CONTINUED

A.4. Sewage Sludge Amount.

Provide the total dry tons per latest 365 day period of sewage sludge handled at your facility:

1. Amount generated at your facility	0	dry tons
2. Amount received from off site facility(s)	0	dry tons
3. Total amount treated or blended on site	0	dry tons

A.5. Amount Received from Off Site.

If your facility receives sewage sludge from another facility on a routine basis for treatment, use or disposal, provide the following information for each facility from which sewage sludge is received. Do not include information on septage. If you receive sewage sludge from more than one facility, attach additional pages as necessary.

a.	Facility Name
b. c.	Facility Permit Number
d.	Contact person
	Title
	Telephone Number
e.	Facility Address (not P.O. Box)
f.	Describe, on this form or on another sheet of paper, how the sludge received from off site is handled at your facility:

PART B: DISPOSAL IN A MUNICIPAL SOLID WASTE LANDFILL

B. **Disposal in a Solid Waste Landfill.**

Provide the following information for each solid waste landfill that accepts sewage sludge from your facility for disposal. If sewage sludge is placed on more than one municipal solid waste landfill, attach additional pages as necessary.

1.	Name of landfill	Solid Waste Management	
2.	Contact person		
	Title		
	Telephone Number		
	Contact is	Landfill Owner Landf	fill Operator
3.	Mailing Address	_64 Arthur Davis Jr Drive 	
4.	Location of solid wast Street or Route # County City or Town State & Zip	64 Arthur Davis Jr Drive Atkinson Willacoochee	
	State & Zıp	_GA31650	

5. List, on this form or on another sheet of paper, the numbers of all other State permits that regulate the operation of this solid waste landfill:

Type of Permit

PART	PART C: LAND APPLICATION OF SEWAGE SLUDGE				
Complete Part C.1. if sewage sludge from your facility is applied to the land in bulk or sold or given away in a bag or other container for application to the land.					
C.1.	Treat	ent Provided At Your Facili	ty.		
	a.	Which class of pathogen does the sewage sludge meet at your facility?			
		Class AC	Class BNeither or Unknown		
	b.		escribe, on this form or another sheet of paper, any treatment processes used at your cility to reduce pathogens in sewage sludge:		
			ge applied in bulk to land application sites. If sewage additional pages as necessary.		
C.2.	Identi	cation of Land Application S	Sites.		
	a.	Site name or identification num	nber		
	b.	Site location (Complete 1 and 2	2)		
		1. Street or Route #			
		County	City or Town		
		State	Zip		
		2. Latitude	Longitude		
		Method of latitude/long	gitude determination		
		USGS map	Field survey Other		
	c.	Topographic map. Provide a to map is unavailable) that shows	pographic map (or other appropriate map if a topographic the site location.		

PAR	PART C: LANDFILL APPLICATION OF SEWAGE SLUDGE CONTINUED				
	Complete Part C.2. thru C.5. for sewage sludge applied in bulk to land application sites. If sewage sludge is applied to more than one site, attach additional pages as necessary.				
C.3.	Owne	wner Information.			
	a.	Are you the owner of the land application site? Yes No			
	b.	If no, provide the following information about the owner:			
		Name			
		Telephone number			
		Mailing Address			
C.4.	Appli	er Information.			
	a.	Are you the person who applies, or is responsible for the application of sewage sludge to the land application site?			
		Yes No			
	b.	If no, provide the following information for the person who applies:			
		Name			
		Telephone number			
		Mailing Address			
C.5.	Site 7	ype.			
	Identi	fy the type of land application site from among the following:			
		Agricultural land Forest Public contact site (such as parks, ball fields, etc.)			
		Reclamation site Other (Describe)			

PART D: OFFSITE TREATMENT OR BLENDING

<u>Complete Part D if sewage sludge from your facility is provided to another facility that provides</u> <u>treatment or blending</u>. This section does not apply to sewage sludge sent directly to a land application site. If you provide sewage sludge to more than one facility, attach additional pages as necessary.

D. Shipment Offsite for Treatment or Blending.

1.	Receiving facility name
2.	Mailing Address
3.	Contact person
	Title
	Telephone number
4.	Total dry tons per 365-day period of sewage sludge provided to receiving facility:

____ (total dry tons per 365 day period)

PART E: INCINERATION				
Comp	lete Par	t E if sewage sludge from your facility is fired in a sewage sludge incinerator.		
E.	Incine	eration.		
	1.	Do you own or operate all sewage sludge incinerators in which sewage sludge from your facility is fired? Yes No		
		If no, complete (2) for each sewage sludge incinerator that you do not own or operate. If you send sewage sludge to more than one such sewage sludge incinerator, attach additional pages as necessary.		
	2.	Incinerator facility name or identification number:		
	3.	Contact person		
		Title		
		Telephone number		
		Contact is: Incinerator owner Incinerator operator		