State of Georgia Department of Natural Resources Environmental Protection Division

Permit No. 2499-075-0028-E-01-1

Page 11 of 29

- iv. Any consecutive twelve-month total of arsenic emissions from the entire facility, determined and recorded in accordance with Conditions 7.15g. or 7.25g., equal to or in excess of 0.0567 pounds.
- v. Any consecutive twelve-month total of hexavalent chromium emissions from the entire facility, determined and recorded in accordance with Conditions 7.15h. or 7.5h., equal to or in excess of 24.3 pounds.
- vi. Any 30-day rolling average VOC emission rate of the biofilter (ID No. BIO) in **Phase**I exceeds the VOC emission factor listed in Condition 7.10.
- vii. Any 30-day rolling average VOC emission rate of the biofilter (ID No. BIO) in **Phase**II exceeds the VOC emission factor listed in Condition 7.20.
- viii. Any period in which any fuel other than wood is burned in the energy system or any dryer burners.
- ix. Any period in which any fuel other than natural gas is burned in the RTO burners.
- c. Excursions: (means for the purpose of this Condition, any departure from an indicator range or value established for monitoring consistent with any averaging period specified in for averaging the results of the monitoring)
 - i. Any adverse condition regarding fugitive dust emissions as required per Conditions 3.1 and 3.2.

Phase I

- ii. Any two consecutive days during which visible emissions are observed per Condition 5.5.
- iii. Any two consecutive days during which fugitive visible emissions are observed per Condition 5.8.
- iv. Any failure to perform the daily VE check per Condition 5.5 and/or Condition 5.8.
- v. Any three-hour average total secondary power for the wet electrostatic precipitator (ID No. WESP) measured and recorded per Conditions 5.3a., 5.3b., and 5.4 that is less than 80 percent of the value established in accordance with Condition 6.8a. Prior to any performance testing, the Permittee shall follow the manufacturer recommended total secondary power range for the WESP.
- vi. Any weekly pressure drop readings recorded in accordance with Condition 5.3c. that fall below the associated minimum pressure drop established in accordance with Conditions 6.8c. and 6.8d. Prior to any performance testing, the Permittee shall follow